

# Cottam Solar Project

## PEIR – Volume 2 Appendices to Chapter 3: The Development Site

Prepared by Lanpro Services  
June 2022



## Contents

### **3.1 Cottam Site Plans**

- Figure 3.1: Site Plan: Cottam Solar Project
- Figure 3.2: Site Plan: Cottam 1
- Figure 3.3: Site Plan: Cottam 2
- Figure 3.4: Site Plan: Cottam 3
- Figure 3.5: Site Plan: Cottam Cable Route Search Corridor 1
- Figure 3.6: Site Plan: Cottam Cable Route Search Corridor 2
- Figure 3.7: Field Numbering Plans: Cottam 1
- Figure 3.8: Field Numbering Plans: Cottam 2
- Figure 3.9: Field Numbering Plans: Cottam 3

### **3.2 Agricultural Land Classification Reports**

- ALC Report: Cottam 1, 2, and 3
  - ALC Report: Cottam 3b
-

## **3.1 Cottam Site Plans**

**Figure 3.1: Site Plan: Cottam Solar Project**

**Figure 3.2: Site Plan: Cottam 1**

**Figure 3.3: Site Plan: Cottam 2**

**Figure 3.4: Site Plan: Cottam 3**

**Figure 3.5: Site Plan: Cottam Cable Route Search Corridor 1**


**Figure 3.6: Site Plan: Cottam Cable Route Search Corridor 2**

**Figure 3.7: Field Numbering Plans: Cottam 1**



**Figure 3.8: Field Numbering Plans: Cottam 2**

**Figure 3.9: Field Numbering Plans: Cottam 3**

---



**Key**

-  Area for solar panels and associated development
-  Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only




1:75,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.1
Checked by: ID	Date: 19/05/2022

**Figure 3.1**  
Site Plan


**COTTAM SOLAR PROJECT**  
PEIR



**Key**

- Area for solar panels and associated development
- Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only




1:25,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.2
Checked by: ID	Date: 19/05/2022

**Figure 3.2**  
Site Plan  
Cottam 1

---


**COTTAM SOLAR PROJECT**  
PEIR



**Key**

- Area for solar panels and associated development
- Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only




1:15,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.3
Checked by: ID	Date: 19/05/2022


**Figure 3.3**  
Site Plan  
Cottam 2

**COTTAM SOLAR PROJECT**  
PEIR



- Key**
- Area for solar panels and associated development
  - Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only





1:15,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.4
Checked by: ID	Date: 19/05/2022



**Figure 3.4**  
Site Plan  
Cottam 3

**COTTAM SOLAR PROJECT**  
PEIR

**Key**

-  Area for solar panels and associated development
-  Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only




1:25,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.5
Checked by: ID	Date: 19/05/2022

**Figure 3.5**  
Cottam Cable Route Search Corridor 1

**COTTAM SOLAR PROJECT**  
PEIR






**Key**

- Area for solar panels and associated development
- Cable Route Search Corridor

Note: Energy Storage to be located within Cottam 1 only




1:25,000 @ A3

Drawn by: LH	REF:2981-REP-PL-CO-3.6
Checked by: ID	Date: 19/05/2022

**Figure 3.6**  
Cottam Cable Route Search Corridor 2

**COTTAM SOLAR PROJECT**  
PEIR




**Key**

- Site Boundary
- Field Parcel Reference



1:25000 @A3



Drawn by: LH	REF:2981-REP-PL-CO-3.7
Checked By: ID	Date:05/01/2022

Figure 3.7  
Field Numbering Plans  
Cottam 1

**COTTAM SOLAR PROJECT**




Key

- Site Boundary
- Field Parcel Reference



1:15000 @A3

0 0.25 0.5 0.75 km





Drawn by: LH	REF:2981-REP-PL-CO-3.8
Checked By: ID	Date:05/01/2022

Figure 3.8  
Field Numbering Plans  
Cottam 2

**COTTAM SOLAR PROJECT**




Key

-  Site Boundary
-  Field Parcel Number



1:15000 @A3

0 0.25 0.5 0.75 km



Drawn by: LH	REF:2981-REP-PL-CO-3.9
Checked By: ID	Date:05/01/2022

Figure 3.9  
Field Numbering Plans  
Cottam 3

**COTTAM SOLAR PROJECT**

## **3.2 Agricultural Land Classification Reports**

**ALC Report: Cottam 1, 2, and 3**

**ALC Report: Cottam 3b**



## **AGRICULTURAL LAND CLASSIFICATION COTTAM SOLAR PROJECT**

CLIENT: ISLAND GREEN POWER LTD LTD  
PROJECT: COTTAM SOLAR PROJECT  
DATE: MAY 2022 – ISSUE 2  
ISSUED BY: JAMES FULTON MRICS FAAV

# CONTENTS

1. EXECUTIVE SUMMARY
2. INTRODUCTION
3. PUBLISHED INFORMATION
4. CLIMATE
5. STONINESS
6. GRADIENT
7. SOILS

## INTERACTIVE FACTORS

8. WETNESS
9. DROUGHTINESS
10. AGRICULTURAL LAND CLASSIFICATION

APPENDIX 1 – PLAN OF SITE WITH SAMPLING POINTS

APPENDIX 2 – AGRO-CLIMATIC DATA

APPENDIX 3 – SAMPLE ASSESSMENT

APPENDIX 4 – WETNESS ASSESMENT

APPENDIX 5 – DESCRIPTION OF AGRICULTURAL LAND CLASSIFICATION GRADES

APPENDIX 6 – MAP OF LAND GRADING

## 1. EXECUTIVE SUMMARY

- 1.1 This report assesses the Agricultural Land Classification (ALC) grading of 1235.6-hectares, of agricultural land in West Lindsey District.
- 1.2 The limiting factor is found to be predominantly soil wetness, a combination of the soils found on sites and the climatic regime.
- 1.3 The land is graded as follows:

Grade 2:	26.6 Ha	2.2%
Grade 3a:	78.8 Ha	6.4%
Grade 3b:	1130.2 Ha	91.4%
Total:	1235.6 Ha	

- 1.4 The surveyed site totals 1235.6Ha of agricultural land of which 105.4ha (8.6%) is best and most versatile and 1130.2Ha (91.4%) is not best and most versatile agricultural land.

DRAFT



## 2. INTRODUCTION

- 2.1 Amet Property Ltd have been instructed by Island Green Power Limited to produce an ALC report on a 1235.6-hectare site for a proposed solar project. The solar project is split across 3 sites known as Cottam 1, Cottam 2 and Cottam 3, all in West Lindsey District.
- 2.2 The report's author is James Fulton BSc (Hons) MRICS FAAV who has worked as a chartered surveyor, agricultural valuer, and agricultural consultant since 2004, has a degree in agriculture which included a number of modules on soils and over 10 years' experience in producing agricultural land classification reports.
- 2.3 The report is based on 38 days of sampling conducted in September, October and November 2021. The survey consisted of taking approximately one sample per hectare using a Dutch/Eidelman 50mm soil augur to a depth of 1.2m (where possible). A plan of augur points can be found at **appendix 1** with a separate map for each site and 3 maps for Cottam 1 due to its size. In addition to the sampling with a soil augur trial pits were dug as required to determine soil structure and confirm colour where it was difficult to accurately gauge with the augur alone. Some of these trial pits were to the full 1.2m depth while others were shallower to investigate a specific change found whilst sampling with the augur. Accurate soil structures were recorded where trial pits were dug to examine soils. Where an augur was used subsoil structures are described as good, moderate or poor based on figure 9,10 and 11 in the MAFF guidance.
- 2.4 During the sampling conditions were generally good with the subsoil state described as moist allowing samples to be removed and examined easily.
- 2.5 Based on the published information some of the locations are possibly calcareous and so hydrochloric acid was used to test for a reaction that would indicate calcareous soils. None of the areas were identified in field as naturally calcareous but additional samples were collected in May 2022 and lab testing has been ordered to confirm that these soils are not calcareous, and the report will be updated in due course.
- 2.6 The three sites are described as follows:

### COTTAM 1

923.9 hectares of largely arable land centred around Coates and lying to the east of Willingham by Stow, Normanby by Stow, Stow and Sturton by Stow, generally flat and occasionally gently sloping with elevation ranging from 6m to 28m above ordinance datum (AOD). At the time of the survey the land was either stubble or recently cultivated/drilled or in some areas permanent pasture or temporary grass.

## COTTAM 2

131.2 hectares of arable land to the east of Corringham, flat with elevation ranging from 15m to 20m AOD. At the time of the survey the land had been cultivated.

## COTTAM 3

180.5 hectares of arable land to the east of Blyton, flat with elevation ranging from 19m to 24m AOD. At the time of the survey the land had been cultivated. The area was formerly the site of RAF Blyton. When active it was made up of 3 runways, taxi ways, a perimeter road and dispersal areas, the majority of which have now been removed but it is clear on the ground from the broken concrete and bricks on the surface and areas of subsoil that do not appear to have been formed naturally where the land has been restored.

- 2.7 Further information has been obtained from the MAGIC website, the Soil Survey of England and Wales, the British Geological Survey, the Meteorological Office and 1:250,000 series agricultural land classification maps.
- 2.8 The collected information has been judged against the Ministry of Agriculture Fisheries and Food Agricultural Land Classification of England and Wales revised guidelines and criteria for grading the quality of agricultural land.
- 2.9 The principal factors influencing agricultural production are climate, site and soil and the interaction between them MAFF (1988) & Natural England (2012)<sup>1</sup>.

---

<sup>1</sup> MAFF (1988) - *Agricultural Land Classification of England and Wales. Revised guidelines and criteria for grading the quality of agricultural land.* MAFF Publications

Natural England (2012) - *Technical Information Note 049 - Agricultural Land Classification: protecting the best and most versatile agricultural land, Second Edition*

### 3. PUBLISHED INFORMATION

- 3.1 The British Geological Survey 1:50,000 scale map shows there to be a range of basal geology and various overlying deposits.

#### COTTAM 1

The bedrock geology of the land to the west is shown to be Scunthorpe Mudstone Formation – Mudstone and Limestone. To the east the bedrock geology is identified as Charmouth Mudstone Formation - Mudstone. The superficial deposits are either not recorded or are variously Alluvium – Clay, Silt, Sand, and Gravel; River terrace deposits (undifferentiated) – sand and gravel; or Till, Mid Pleistocene – Diamicton.

#### COTTAM 2

The bedrock geology is shown to be Scunthorpe Mudstone Formation – Mudstone and Limestone. The superficial deposits are identified as Till, Mid Pleistocene – Diamicton.

#### COTTAM 3

The bedrock geology is shown to be Scunthorpe Mudstone Formation – Mudstone and Limestone. The superficial deposits are identified as Till, Mid Pleistocene – Diamicton.

- 3.2 The national soils map shows a variety soil types across the site.

#### COTTAM 1

An area either side of the water courses through the site is identified as Fladbury 2 Association – Stoneless clayey soils variably affected by groundwater some with sandy subsoils. To the north the site is identified as Salop Association – Slowly permeable seasonally waterlogged reddish fine loamy over clayey, fine loamy and clayey soils. To the west the site is identified as Wickham 2 Association – Slowly permeable seasonally waterlogged fine loamy over clayey, fine silty over clayey and clayey soils. To the South the site is identified as Beccles 1 Association – Slowly permeable, seasonally waterlogged fine loamy over clayey soils.

#### COTTAM 2

The majority of site is described as Beccles 1 Association – Slowly permeable, seasonally waterlogged fine loamy over clayey soils. A small area to the northeast is described as Fladbury 2 Association – Stoneless clayey soils variably affected by groundwater some with sandy subsoils with a very small area to the east described as Ragdale Association – Slowly permeable, seasonally waterlogged clayey and fine loamy over clayey soils.

### COTTAM 3

The majority of the site is described as Salop Association – Slowly permeable seasonally waterlogged reddish fine loamy over clayey, fine loamy and clayey soils. The land to the south is described as Beccles 1 Association – Slowly permeable, seasonally waterlogged fine loamy over clayey soils. A small area to the west is described as Cranymoor – Well drained sandy soils mostly under woodland and very acid with bleached subsurface horizons.

- 3.3 The 1:250,000 series Agricultural Land Classification maps show the land to be Grade 3

DRAFT

#### 4. CLIMATE

- 4.1 Climate has a major, and in places overriding, influence on land quality affecting both the range of potential agricultural uses and the cost and level of production.
- 4.2 There is published agro-climatic data for England and Wales provided by the Meteorological Office, such data for the subject site is listed in the table below.
- 4.3 The climatic data for each of the sites was determined separately as the distance between locations and difference in altitude could provide different results. Due to the size of Cottam 1 and its geographical spread this site has been split into 1a, 1b and 1c – these areas are shown on the plans at **appendix 3**.

Agro-Climatic Data – Full details can be found at **appendix 2**

##### COTTAM 1a

Grid Reference	489293 383499
Altitude (ALT)	16.97
Average Annual Rainfall (AAR)	623.69
Accumulated Temperature - Jan to June (ATO)	1407.24
Duration of Field Capacity (FCD)	128.28
Moisture Deficit Wheat	110.87
Moisture Deficit Potatoes	102.08

##### COTTAM 1b

Grid Reference	491203 381629
Altitude (ALT)	9.55
Average Annual Rainfall (AAR)	616.68
Accumulated Temperature - Jan to June (ATO)	1416.28
Duration of Field Capacity (FCD)	128.21
Moisture Deficit Wheat	112.12
Moisture Deficit Potatoes	103.17

### COTTAM 1c

Grid Reference	492102 385082
Altitude (ALT)	17.10
Average Annual Rainfall (AAR)	629.44
Accumulated Temperature - Jan to June (ATO)	1405.78
Duration of Field Capacity (FCD)	132.93
Moisture Deficit Wheat	109.96
Moisture Deficit Potatoes	99.26

### COTTAM 2

Grid Reference	488445 392175
Altitude (ALT)	17.30
Average Annual Rainfall (AAR)	620.54
Accumulated Temperature - Jan to June (ATO)	1402.99
Duration of Field Capacity (FCD)	130.56
Moisture Deficit Wheat	110.17
Moisture Deficit Potatoes	100.19

### COTTAM 3

Grid Reference	487018 395878
Altitude (ALT)	23.18
Average Annual Rainfall (AAR)	623.04
Accumulated Temperature - Jan to June (ATO)	1395.20
Duration of Field Capacity (FCD)	130.43
Moisture Deficit Wheat	108.92
Moisture Deficit Potatoes	99.30

- 4.4 The main parameters used in assessing the climatic limitation are average annual rainfall (AAR), as a measure of overall wetness; and accumulated temperature (ATO), as a measure of the relative warmth of a locality.
- 4.5 The AAR and ATO provide no climatic limitation to grade.
- 4.6 Large areas of Cottam 1 around the watercourses running through the site are shown as being in flood zone 2 and flood zone 3 – areas with a high risk of flooding. Anecdotal evidence provided by the farm manager suggests that flooding of some areas is relatively frequent and long enough term that it impacts on agricultural practices and has resulted in these areas being planted in a grass ley. While this will limit the land graded it is not considered that it will be the most limiting factor. Cottam 2 and Cottam 3 are shown to be in Flood Zone 3 – area with a less than 1 in 1000 chance of annual flooding.

## 5. STONINESS

- 5.1 The majority of Cottam 1 was either stoneless or the amount of stone was so low that it was not recorded. Parts of Cottam 1c had around 5% stone in the topsoil. The majority of Cottam 2 was stoneless with small areas to the west with around 5% stone in the topsoil. Cottam 3 didn't contain any significant amount of naturally occurring stone but there are areas with chunks of broken concrete and brick seemingly where runways and other infrastructure has been removed. Stoniness is not considered to be the most limiting factor at any sample point.

## 6. GRADIENT

- 6.1 The steepest areas of the site are only a gentle slope with gradient never representing the most limiting factor to land grade.

## 7. SOILS

- 7.1 The soils found on site largely follow the expectations set by the national soils map with occasional anomalies. Full information on the sample points along with lab results of topsoil textures and a number of descriptions and photographs from trial pits can be found at **appendix 3**.

### COTTAM 1

The soils were largely consistent generally having a slowly permeable layer indicated by weak medium angular blocky, coarse angular blocky or prismatic structures and mottles evidencing wetness from between 35cm and 60 cm and gleying indicated by grey or pale colours and ochreous mottles from similar depths. The topsoil varied in texture from sandy clay loam to clay. There were small areas with a lighter textured and/or better structured subsoil where either no slowly permeable layer was found or where it was significantly deeper.

The topsoil was often deeper than would be expected extending to 35cm or 40cm which was clearly below the usual cultivation depth but as the colour and texture remained unchanged this was not recorded as a first subsoil.

### COTTAM 2

The soils were largely consistent generally having a slowly permeable layer indicated by a coarse angular blocky or massive structure and mottles evidencing wetness from between 35cm and 60 cm and gleying indicated by grey or pale colours and ochreous mottles from similar depths. The topsoil varied in texture from sandy clay loam to clay with the sandy clay loam being concentrated along the watercourse to the northwest and the majority of the site being a clay topsoil.

The topsoil was often deeper than would be expected extending to 35cm or 40cm which was clearly below the usual cultivation depth but as the colour and texture remained unchanged this was not recorded as a first subsoil.

### COTTAM 3

The site was previously an airfield, and it is clear from both stony areas on the surface (not natural stone but brick and concrete pieces) and from the structures identified in the subsoils that much of the land has been disturbed. While the restoration work has been carried out relatively well there are coarse platy structures in the subsoils that appear to have been formed by mechanical operations rather than occurring naturally. It is likely that in places these slowly permeable layers are virtually impermeable and so it is possible that the wetness assessment underestimates the wetness limitation in places. Topsoil across the majority of the site ranges from sandy clay loam to clay with a slowly permeable layer indicated by either a coarse angular blocky, coarse platy or coarse prismatic structure starting at around 30cm and continuing to at least 1m and gleying evidenced by grey or pale colours and ochreous mottles starting at the same depth. A very small area to the west was completely different with a loamy sand topsoil over a sand subsoil.

The topsoil was often deeper than would be expected extending to 35cm or 40cm which was clearly below the usual cultivation depth but as the colour and texture remained unchanged this was not recorded as a first subsoil.

When the area was first inspected none of the sample points reacted to the HCL in field test for calcium carbonate. During the visit in May 2022 all sample points reacted to the HCl but this was thought to be due to the spreading of what appeared to be bone meal fertilizer as can be seen in the photograph below.





## INTERACTIVE FACTORS

### 8. WETNESS

- 8.1 An assessment of the wetness class of each sample point was made based on the flow chart at Figure 6 in the MAFF guidance. The wetness class and topsoil texture were then assessed against Table 6 of the MAFF guidance to determine the ALC grade according to wetness. The wetness assessment can be found at **appendix 4**.

#### COTTAM 1

The slowly permeable gleyed subsoils result in most areas being calculated as Wetness class III which based on Table 6 in the MAFF guidance results in a grade 3b, where the topsoil is clay or heavy clay loam; and grade 3a where the topsoil is medium clay loam. Where the slowly permeable layer is deeper or does not exist a wetness class of I or II is determined which depending on the topsoil texture results in the grade being limited to Grad 1, 2 or 3a.

#### COTTAM 2

The slowly permeable gleyed subsoils result in most areas being calculated as Wetness class III which based on Table 6 in the MAFF guidance results in a grade 3b, where the topsoil is clay or heavy clay loam; and grade 3a where the topsoil is sandy clay loam.

#### COTTAM 3

The slowly permeable gleyed subsoils result in most areas being calculated as Wetness class III which based on Table 6 in the MAFF guidance results in a grade 3b, where the topsoil is clay or heavy clay loam; and grade 3a where the topsoil is medium clay loam, or sandy clay loam.

### 9. DROUGHTINESS

- 9.1 Droughtiness limits are defined in terms of moisture balance for wheat and potatoes using the formula:

$$MB \text{ (Wheat)} = AP \text{ (Wheat)} - MD \text{ (Wheat)}$$

and

$$MB \text{ (Potatoes)} = AP \text{ (Potatoes)} - MD \text{ (Potatoes)}$$

Where:

MB = Moisture Balance

AP = Crop Adjusted available water capacity

MD = Moisture deficit

- 9.2 Moisture deficit for wheat and potatoes can be found in the agro-climatic data and are as follows:

Cottam 1a

MD (Wheat) = 110.87  
MD (Potatoes) = 102.08

Cottam 1b

MD (Wheat) = 112.12  
MD (Potatoes) = 103.17

Cottam 1c

MD (Wheat) = 109.96  
MD (Potatoes) = 99.26

Cottam 2

MD (Wheat) = 110.17  
MD (Potatoes) = 100.19

Cottam 3

MD (Wheat) = 108.92  
MD (Potatoes) = 99.30

- 9.3 Crop adjusted available water is calculated by reference to the total available water and easily available water which is calculated by reference to soil texture and structural condition and the stone content. Where it was considered that droughtiness was likely to be a limiting factor the MD (Wheat) and MD (Potatoes) was calculated and then assessed against table 8. This assessment can be found at **appendix 4**.

- 9.4 Droughtiness was only occasionally found to be the limiting factor an only where much lighter textured soils (loamy sand and sand) were identified.

## 10. AGRICULTURAL LAND CLASSIFICATION

- 10.1 The Agricultural Land Classification provides a framework for classifying land according to which its physical or chemical characteristics impose long-term limitations on agricultural use. The limitations can operate in one or more of four principle ways: they may affect the range of crops that can be grown, the level of yield, the consistency of yield and the cost of obtaining it.
- 10.2 The principle physical factors influencing agricultural production are climate, site and soil and the interactions between them which together form the basis

for classifying land into one of 5 grades; grade 1 being of excellent quality and grade 5 being land of very poor quality. Grade 3 land, which constitutes approximately half of all agricultural land in the United Kingdom is divided into 2 subgrades – 3a and 3b. A full definition of all of the grades can be found at **appendix 5**.

10.3 This assessment sets out that the principal limiting factor found across the site is wetness with droughtiness affecting occasional sample points.

10.4 The MAFF guidance sets out that 'where soil and site conditions vary significantly and repeatedly over short distances and impose a practical constraint on cropping and land management a 'pattern' limitation is said to exist. Where wetness is the limiting factor areas of land with a lighter topsoil are downgraded when they are surrounded by areas with topsoil with a higher clay content when it is considered that accessing the lighter areas would be constrained by the surrounding heavier land.

10.5 The breakdown of land by classification is:

COTTAM 1

Grade 2:	25.2Ha	2.7%
Grade 3a:	55.7Ha	6.0%
Grade 3b:	843Ha	91.3%
Total:	923.9Ha	

COTTAM 2

Grade 3a:	15.4Ha	11.7%
Grade 3b:	115.8Ha	88.3%
Total:	131.2Ha	

COTTAM 3


Grade 2:	1.4Ha	0.8%
Grade 3a:	7.7Ha	4.3%
Grade 3b:	171.4Ha	94.9%
Total:	180.5Ha	

TOTAL

Grade 2:	26.6Ha	2.2%
Grade 3a:	78.8Ha	6.4%
Grade 3b:	1130.2Ha	91.4%
Total:	1235.6Ha	


10.6 A plan of the land grading can be found at **appendix 6**.


DRAFT




Appendix 1 - Cottam 1a

Appendix 1 - Cottam 1b








Appendix 1 - Cottam 2

Ordnance Survey © Crown Copyright 2021. All Rights Reserved. Licence number 100022432





# Appendix 1 - Cottam 3



## APPENDIX 2 – AGRO-CLIMATIC DATA

Site Details: Cottam 1a

Grid reference (centre of site): 489293 383499

Altitude: Mean 16.97

Climatic data from surrounding locations:

Grid Reference	ALT	AAR	LR_AAR	ASR	ATO	ATS	MDW	MDP	FCD
48503800	10	584	1.3	300	1418	2389	115	109	116
48503850	17	597	1	310	1407	2376	112	105	121
49003800	8	610	1.6	310	1419	2392	113	106	125
49003850	14	626	1.3	315	1410	2382	111	104	130

Altitude Adjusted

Grid Reference	AAR	ATO	FCD	MDW	MDP	Proximity Adjustment
48503800	593.06	1410.06	117.31	113.65	106.04	5.35%
48503850	596.97	1407.04	121.00	112.01	102.82	9.67%
49003800	624.35	1408.78	127.07	111.08	102.61	18.36%
49003850	629.86	1406.62	130.56	110.43	101.51	66.62%

Site Details: Cottam 1b

Grid reference (centre of site): 491203 381629

Altitude: Mean 9.55

Climatic data from surrounding locations:

Grid Reference	ALT	AAR	LR_AAR	ASR	ATO	ATS	MDW	MDP	FCD
49003800	8	610	1.6	310	1419	2392	113	106	125
49503800	27	631	0.5	320	1396	2368	109	101	134
49003850	14	626	1.3	315	1410	2382	111	104	130
49503850	41	644	0.6	325	1378	2348	106	97	139

Altitude Adjusted

Grid Reference	AAR	ATO	FCD	MDW	MDP	Proximity Adjustment
49003800	612.48	1417.23	125.36	112.67	104.69	55.19%
49503800	622.27	1415.89	132.74	111.40	100.55	15.03%
49003850	620.21	1415.07	129.16	111.86	103.39	21.16%
49503850	625.13	1413.85	136.27	110.55	97.47	8.62%

Site Details: Cottam 1c

Grid reference (centre of site): 492102385082

Altitude: Mean 17.10

Climatic data from surrounding locations:

Grid Reference	ALT	AAR	LR_AAR	ASR	ATO	ATS	MDW	MDP	FCD
49003850	14	626	1.3	315	1410	2382	111	104	130
49003900	23	630	1.3	320	1397	2367	109	101	133
49503850	41	644	0.6	325	1378	2348	106	97	139
49503900	55	652	0.6	335	1360	2329	102	93	140

Altitude Adjusted

Grid Reference	AAR	ATO	FCD	MDW	MDP	Proximity Adjustment
49003850	630.02	1406.47	130.58	110.40	101.48	58.41%
49003900	622.32	1403.73	131.89	110.14	99.53	5.65%
49503850	629.66	1405.25	136.93	109.46	96.03	31.37%
49503900	629.26	1403.21	136.71	107.48	92.79	4.56%

Site Details: Cottam 2

Grid reference (centre of site): 488445 392175

Altitude: Mean 17.30

Climatic data from surrounding locations:

Grid Reference	ALT	AAR	LR_AAR	ASR	ATO	ATS	MDW	MDP	FCD
48503900	23	610	1.1	310	1398	2366	111	103	126
48503950	19	611	1.4	310	1401	2370	111	104	128
49003900	23	630	1.3	320	1397	2367	109	101	133
49003950	15	631	1.2	320	1404	2375	109	102	133

Altitude Adjusted

Grid Reference	AAR	ATO	FCD	MDW	MDP	Proximity Adjustment
48503900	603.73	1404.50	125.09	112.02	101.35	17.48%
48503950	608.61	1402.94	127.65	111.34	102.04	14.05%
49003900	622.58	1403.50	131.93	110.10	99.48	39.69%
49003950	633.75	1401.38	133.40	108.57	99.55	28.78%

Site Details: Cottam 3

Grid reference (centre of site): 487018 395878

Altitude: Mean 23.18

Climatic data from surrounding locations:

Grid Reference	ALT	AAR	LR_AAR	ASR	ATO	ATS	MDW	MDP	FCD
48503950	19	611	1.4	310	1401	2370	111	104	128
48504000	16	594	1.2	315	1402	2371	110	103	125
49003950	15	631	1.2	320	1404	2375	109	102	133
49004000	15	620	0.9	325	1402	2373	108	100	131

Altitude Adjusted

Grid Reference	AAR	ATO	FCD	MDW	MDP	Proximity Adjustment
48503950	616.85	1396.23	128.85	110.16	100.49	51.24%
48504000	602.62	1393.81	126.25	108.66	99.22	11.40%
49003950	640.82	1394.67	134.42	107.47	98.11	28.84%
49004000	627.36	1392.67	132.06	106.65	96.29	8.52%



61	9	0-40	HCL	10YR 4/2	B	40-70	C	10YR 5/2	MOB	P	70-120	C	10YR 5/2	MOB	P						
62	9	0-40	HCL	10YR 4/2	B	40-70	C	10YR 5/2	MOB	P	70-120	C	10YR 5/2	MOB	P						
63	12	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MO	P						
64	12	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/6	B	MAB	80	IMP (MUDSTONE)									
65	11	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/6	B	M	80	IMP (MUDSTONE)									
66	10	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/6	B	M	80	IMP (MUDSTONE)									
67	10	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MO	P						
68	9	0-40	MCL	10YR 4/3		40-80	CL	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MO	P						
69	12	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	CAB	70-80	StC	10YR 5/2	MO	MAB	80	IMP (MUDSTONE)				
70	12	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
71	12	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
72	10	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
73	10	0-40	MCL	10YR 4/3		35-80	C	10YR 5/2	MOB	P	80-120	C	10YR 4/1	MO	P						
74	9	0-40	MCL	10YR 4/3		35-80	C	10YR 5/2	MOB	P	80-120	C	10YR 4/1	MO	P						
75	12	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
76	12	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
77	12	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	P	80	IMP (MUDSTONE)				
78	12	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	P	80	IMP (MUDSTONE)				
79	10	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	P	80	IMP (MUDSTONE)				
80	9	0-40	MCL	10YR 4/3		35-80	C	10YR 5/2	MOB	P	80-120	C	10YR 4/1	MO	P						
81	9	0-40	MCL	10YR 4/3		35-80	C	10YR 5/2	MOB	P	80-120	C	10YR 4/1	MO	P						
82	12	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-80	StC	10YR 5/2	MO	M	80	IMP (MUDSTONE)				
83	12	0-40	MCL	10YR 4/2		40-70	SC	10YR 5/2	MOB	P	70-120	C	10YR 5/1	MOB	P						
84	12	0-40	MCL	10YR 4/2		40-70	SC	10YR 5/2	MOB	C PRISM	70-120	C	10YR 5/1	MOB	P						
85	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
86	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
87	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
88	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
89	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
90	12	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
91	15	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
92	14	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
93	14	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
94	12	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
95	12	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
96	13	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
97	11	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
98	9	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
99	9	0-35	C	10YR 4/2		35-70	C	10YR 5/2	MOB	P	70-120	C	10YR 4/1	MO	P						
100	17	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70	IMP (MUDSTONE)									
101	16	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
102	15	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
103	14	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
104	14	0-40	HCL	10YR 4/2		40-90	C	10YR 5/2	MO	P	90-120	C	10YR 5/1	MO	P						
105	11	0-40	C	10YR 4/2		40-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	P	
106	9	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	P	
107	9	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	P	
108	9	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	P	
109	9	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	P	
110	7	0-30	MCL	10YR 4/2	MO	50-120	S	7.5YR 5/6	MO	M											
111	6	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
112	17	0-30	HCL	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70	IMP (MUDSTONE)									
113	16	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MOB	P	70-120	C	10YR 5/1	MO	P						
114	15	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	S	7.5YR 5/3		P						
115	14	0-40	HCL	10YR 4/2		40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
116	14	0-40	HCL	10YR 4/2		40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
117	13	0-40	HCL	10YR 4/2		40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
118	11	0-40	HCL	10YR 4/2		40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
119	10	0-30	C	10YR 4/2	O	30-70	C	10YR 5/2	MO	P	70-90	StC	10YR 5/2	MO	M	90-120	C	10YR 4/1	MO	M	
120	8	0-40	HCL	10YR 4/3		40	IMP														
121	8	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
122	8	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
123	7	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						
124	8	0-30	C	10YR 4/2		30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO	P						



125	7	0-30	MCL	10YR 4/3	30-50	C	10YR 5/3	MOB	P	50	IMP (MUDSTONE)		
126	8	0-30	C	10YR 4/2	30-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO P
127	9	0-40	SCL	10YR 4/2	40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO P
128	9	0-35	SCL	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
129	9	0-40	SCL	10YR 4/2	40-50	CL	10YR 4/1		M	50	IMP (MUDSTONE)		
130	7	0-40	SCL	10YR 4/2	40-50	CL	10YR 4/1		MAB	50	IMP (MUDSTONE)		
131	6	0-30	SCL	10YR 4/2	35-90	ZC	10YR 5/1	MO	P	90-120	Z	10YR 6/1	MO M
132	6	0-35	HCL	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
133	9	0-45	HCL	10YR 4/2	45-120	StC	10YR 5/2	MOB	P				
134	10	0-45	HCL	10YR 4/2	45-120	C	10YR 5/1	MOB	C PRISM				
135	10	0-30	SCL	10YR 4/2	30-60	CL	10YR 5/3	MO	M	60-120	C	10YR 5/1	MO P
136	10	0-40	SCL	10YR 4/3	40	IMP							
137	9	0-40	SCL	10YR 4/2	40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MO P
138	9	0-40	SCL	10YR 4/2	40-70	C	10YR 5/2	MO	P	70-120	C	10YR 5/1	MO P
139	8	0-35	SCL	10YR 4/2	35-80	ZC	10YR 5/2	MO	P	80	IMP (MUDSTONE)		
140	7	0-35	SCL	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
141	6	0-35	C	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
142	6	0-35	C	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
143	6	0-35	C	10YR 4/2	35-60	C	10YR 5/2	MO	P	60-120	C	10YR 5/1	MO P
144	11	0-45	SCL	10YR 4/2	45-120	C	10YR 5/1	MOB	P				
145	9	0-40	SCL	10YR 4/2	40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MO P
146	9	0-40	SCL	10YR 4/2	40-70	ZCL	10YR 5/3	MO	WMAB	70-120	C	10YR 5/1	MO C PRISM
147	8	0-30	SCL	10YR 4/2	30-60	CL	10YR 5/3	MO	M	60-120	C	10YR 5/1	MO P
148	7	0-40	SCL	10YR 4/2	40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MO P
149	7	0-40	SCL	10YR 4/2	40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MO P
150	12	0-45	HCL	10YR 4/2	B 45-120	C	10YR 5/1	MOB	P				
151	10	0-45	HCL	10YR 4/2	B 45-120	C	10YR 5/1	MOB	P				

11.00

Appendix 3b - Augur sample results - Cottam 1b

Sample No	Altitude	Topsoil			Stoniness	Mottles	Subsoil 1					Subsoil 2					Subsoil 3						
		Depth	Texture	Colour			Depth	Texture	Colour	Stoniness	Mottles	Structure	Depth	Texture	Colour	Stoniness	Mottles	Structure	Depth	Texture	Colour	Stoniness	Mottles
152	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
153	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
154	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
155	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
156	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
157	12	0-40	C	10YR 4/2			40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOGB	P							
158	12	0-40	C	10YR 4/2			40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOGB	P							
159	12	0-40	C	10YR 4/2			40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOGB	P							
160	12	0-40	C	10YR 4/2			40-75	C	10YR 4/3	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
161	12	0-40	C	10YR 4/2			40-75	C	10YR 4/3	MOB	P	75-120	C	7.5YR 4/2	MOB	P							
162	12	0-40	C	10YR 4/2			40-75	C	10YR 4/3	MOB	P	75-120	C	7.5YR 4/2	MOB	P							
163	15	0-40	C	10YR 4/2			40-75	C	10YR 4/3	MOB	P	75-120	C	7.5YR 4/2	MOB	P							
164	15	0-40	C	10YR 4/2			40-75	C	10YR 4/3	MOB	P	75-120	C	7.5YR 4/2	MOB	P							
165	8	0-30	SCL	10YR 3/2			30-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
166	9	0-30	SCL	10YR 3/2			30-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
167	12	0-40	C	10YR 3/3			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
168	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
169	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1		MOB		P
170	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
171	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	CAB	75-120	C	10YR 5/1	MOB	P							
172	12	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
173	12	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
174	12	0-40	C	10YR 4/2			40-75	C	10YR 4/2	MOB	P	75-120	SC	10YR 4/2	MOB	P							
175	12	0-40	C	10YR 4/2			40-75	C	10YR 4/2	MOB	P	75-120	SC	10YR 4/2	MOB	P							
176	14	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
177	15	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
178	9	0-35	C	10YR 4/2			35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MO	P							
179	9	0-35	C	10YR 4/2			35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MO	P							
180	11	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
181	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
182	12	0-40	SC	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P							
183	12	0-40	SC	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P							
184	12	0-40	SC	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	S	10YR 5/1	MO	P							
185	12	0-40	C	10YR 3/3			40-120	S	10YR 5/2	MO	M												
186	12	0-40	C	10YR 3/3			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
187	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
188	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
189	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
190	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	7.5YR 4/2	MOB	P							
191	12	0-40	C	10YR 4/2			40-70	C	10YR 5/2	MOB	P	70-120	C	7.5YR 4/2	MOGB	P							
192	12	0-40	C	10YR 4/2			40-70	C	10YR 5/2	MOB	P	70-120	C	7.5YR 4/2	MOGB	P							
193	12	0-40	C	10YR 4/2			40-70	C	10YR 4/3	MOB	P	70-120	C	7.5YR 4/2	MOGB	P	90	IMP					
194	12	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
195	13	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
196	14	0-40	C	10YR 4/2			40-75	C	10YR 5/2	MOB	P	75-120	C	7.5YR 4/2	MOGB	P							
197	7	0-45	SCL	10YR 4/2			45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P							
198	6	0-40	HCL	10YR 4/2			40-100	C	10YR 5/3	MO	P	100-120	S	10YR 4/4		P							
199	6	0-40	MCL	10YR 4/2			40-60	SC	10YR 5/3	MO	P	60-80	S	10YR 4/4	MO	P							
200	6	0-35	C	10YR 4/2			35-70	C	10YR 5/3	MO	P	70-120	C	10YR 5/1	MO	P							
201	6	0-30	SL	10YR 3/2			30-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
202	6	0-35	C	10YR 4/2			35-70	C	10YR 5/3	MO	P	70-120	C	10YR 5/1	MO	P							
203	6	0-35	C	10YR 4/2			35-70	C	10YR 5/3	MO	P	70-120	C	10YR 5/1	MO	P							
204	6	0-45	SCL	10YR 4/2			45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P							
205	11	0-40	C	10YR 3/2			40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P							
206	12	0-40	C	10YR 3/2			40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P							
207	12	0-40	C	10YR 3/2			40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P							
208	12	0-40	C	10YR 3/2			40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P							
209	12	0-40	C	10YR 3/2			40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P							
210	12	0-40	SC	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							
211	12	0-40	C	10YR 4/2			40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P							

212	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
213	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
214	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
215	12	0-40	C	10YR 4/2	40-75	C	10YR 5/2	MOB	P	75-120	C	10YR 5/1	MOB	P
216	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
217	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	7.5YR 4/2	MOB	P
218	12	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOB	P
219	12	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOB	P
220	8	0-35	SCL	10YR 4/2	35-80	C	10YR 5/1	MOB	P	80-90	S	10YR 5/3		M
221	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
222	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
223	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	CAB	80-120	C	10YR 5/1	MOB	MASSIVE
224	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
225	6	0-40	HCL	10YR 4/2	40-100	C	10YR 5/3	MO	P	100-120	S	10YR 4/4		P
226	6	0-40	HCL	10YR 4/2	40-100	C	10YR 5/3	MO	P	100-120	S	10YR 4/4		P
227	6	0-35	HCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
228	6	0-35	HCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
229	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
230	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
231	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
232	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MO	P	70-120	C	10YR 5/1	MO	P
233	11	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MO	P	70-120	C	10YR 5/1	MO	P
234	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MO	P	70-120	C	10YR 5/1	MO	P
235	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
236	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
237	12	0-40	C	10YR 3/2	40-70	C	10YR 4/3	MOB	CAB	70-120	SC	10YR 4/3	MOB	P
238	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
239	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
240	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
241	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
242	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
243	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
244	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
245	12	0-40	C	10YR 4/2	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
246	12	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOB	P
247	12	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOB	P
248	12	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOB	P
249	7	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
250	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
251	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
252	7	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
253	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
254	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
255	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
256	6	0-45	SCL	10YR 4/2	45-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
257	6	0-40	SCL	10YR 4/2	40-60	LS	7.5YR 5/6		C Platy	60-120	LS	7.5YR 5/6		M
258	6	0-35	SCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
259	7	0-35	SCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
260	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MO	P	70-120	C	10YR 5/1	MO	P
261	9	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MO	P	70-120	C	10YR 5/1	MO	P
262	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
263	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
264	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
265	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
266	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
267	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
268	12	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
269	12	0-40	C	10YR 4/2	40-75	C	10YR 5/2	MOB	P	75-120	C	10YR 5/1	MOB	P
270	12	0-40	C	10YR 4/2	40-75	C	10YR 5/2	MOB	P	75-120	C	10YR 5/1	MOB	P
271	14	0-40	C	10YR 4/2	40-70	C	10YR 5/1	MOB	P	70-120	C	7.5YR 4/2	MOGB	P
272	14	0-40	C	10YR 4/2	40-70	C	10YR 5/2	MOB	P	70-120	C	7.5YR 4/2	MOB	P
273	6	0-35	HCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
274	6	0-35	HCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
275	6	0-35	HCL	10YR 4/2	35-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P



340	10	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 4/3	MOB	P
341	11	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 4/3	MOB	P
342	12	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 4/3	MOB	P
343	8	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
344	7	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
345	7	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
346	6	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
347	6	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
348	6	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
349	6	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
350	6	0-40	HCL	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
351	6	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
352	6	0-40	HCL	10YR 3/3	40-80	C	10YR 4/3	MOB	P	80-120	C	10YR 4/3	MO	P
353	6	0-40	HCL	10YR 3/3	40-80	C	10YR 4/3	MOB	P	80-120	C	10YR 4/3	MO	P
354	9	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
355	11	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
356	6	0-40	C	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
357	6	0-40	C	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
358	6	0-40	C	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
359	6	0-40	C	10YR 4/2	40-120	St S	7.5YR 5/6		MASSIVE					
360	8	0-40	C	10YR 4/2	40-120	St S	7.5YR 5/6		P					
361	8	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
362	6	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
363	6	0-40	SCL	10YR 3/3	40-75	SC	10YR 5/1	MOB	P	75-120	ZCL	10YR 5/1	MOB	P
364	6	0-40	SCL	10YR 3/3	40-75	SC	10YR 4/3	MOB	P	75-120	C	10YR 4/3	MOB	P
365	7	0-40	HCL	10YR 3/2	40-75	SC	10YR 4/3	MO	P	75-120	C	10YR 5/1	MOB	P
366	6	0-40	SCL	10YR 3/3	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
367	6	0-40	C	10YR 3/3	40-75	SC	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
368	8	0-40	C	10YR 3/3	40-75	SC	10YR 5/1	MOB	CAB	75-120	SC	10YR 5/1	MOB	P
369	9	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 4/1	MOB	P
370	9	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 4/1	MOB	P
371	10	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	2.5Y 4/1	MOB	P
372	11	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	2.5Y 4/1	MOB	P
373	12	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
374	12	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
375	12	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
376	6	0-40	SCL	10YR 4/2	40-120	St S	7.5YR 5/6		M					
377	6	0-40	SCL	10YR 4/2	40-120	St S	7.5YR 5/6		M					
378	6	0-40	C	10YR 4/2	40-80	C	10YR 5/1	MOB	P	80-120	C	10YR 4/1	MO	P
379	6	0-40	C	10YR 3/3	40-75	C	10YR 4/3	MOB	P	75-120	C	10YR 5/1	MO	P
380	7	0-45	SCL	10YR 3/3	45-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
381	7	0-40	HCL	10YR 3/2	40-75	SC	10YR 4/3	MO	P	75-120	C	10YR 5/1	MOB	P
382	8	0-40	HCL	10YR 3/2	40-75	SC	10YR 4/3	MO	P	75-120	C	10YR 5/1	MOB	P
383	10	0-40	HCL	10YR 3/3	40-75	C	10YR 4/1	MO	P	75-120	S	7.5YR 5/6		P
384	10	0-40	C	10YR 3/2	40-75	C	10YR 4/3	MO	P	75-120	C	10YR 4/1	MO	P
385	10	0-40	HCL	10YR 3/2	40-75	SC	10YR 4/3	MO	P	75-120	C	10YR 5/1	MOB	P
386	11	0-40	SCL	10YR 3/3	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
387	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
388	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
389	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
390	13	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
391	14	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
392	14	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
393	14	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
394	15	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
395	15	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
396	6	0-40	C	10YR 3/3	40-75	SC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
397	6	0-40	C	10YR 3/3	40-75	C	10YR 4/3	MOB	P	75-120	C	10YR 5/1	MO	P
398	10	0-40	C	10YR 3/3	40-75	C	10YR 4/3	MOB	P	75-120	C	10YR 5/1	MO	P
399	10	0-45	SCL	10YR 3/3	45-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
400	10	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
401	11	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
402	12	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
403	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P

404	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MOB	P
405	11	0-40	C	10YR 3/2	40-70	C	10YR 4/1	MOB	P	70-120	C	10YR 4/1	MOB	P
406	9	0-40	C	10YR 3/2	40-70	C	10YR 4/1	MOB	P	70-120	C	10YR 4/1	MOB	P
407	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
408	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
409	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
410	7	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
411	8	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
412	10	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
413	6	0-45	SCL	10YR 3/3	45-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
414	6	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
415	6	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
416	12	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
417	12	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	S	10YR 5/1	MO	M
418	12	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
419	12	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
420	12	0-40	HCL	10YR 3/2	40-75	C	10YR 4/1	MOB	P	75-120	C	10YR 4/1	MO	P
421	12	0-40	HCL	10YR 3/3	40-75	SC	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
422	12	0-40	HCL	10YR 3/3	40-75	SC	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
423	12	0-40	HCL	10YR 3/3	40-75	SC	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
424	10	0-40	C	10YR 3/2	40-70	C	10YR 4/1	MOB	P	70-120	C	10YR 4/1	MOB	P
425	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
426	9	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
427	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
428	8	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
429	7	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	S	10YR 5/1	MO	P
430	8	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
431	9	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
432	6	0-45	SCL	10YR 3/3	45-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
433	7	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
434	9	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
435	10	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
436	11	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
437	12	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
438	13	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
439	10	0-40	HCL	10YR 3/3	40-75	C	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
440	7	0-40	HCL	10YR 3/3	40-75	C	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
441	8	0-40	HCL	10YR 3/3	40-75	C	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
442	6	0-40	HCL	10YR 3/3	40-75	C	10YR 4/1	MO	P	75-120	C	10YR 4/1	MO	P
443	6	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MO	P
444	6	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MO	P
445	9	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MO	P
446	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
447	10	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
448	11	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
449	12	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
450	7	0-45	C	10YR 3/3	45-75	C	10YR 4/3	MOB	P	75-120	S	10YR 5/4	MOB	P
451	6	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	ZCL	10YR 5/1	MOB	P
452	10	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
453	10	0-45	C	10YR 4/2	45-75	C	10YR 5/4	MOB	P	75-120	C	10YR 5/1	MOB	P
454	10	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
455	13	0-40	HCL	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MO	P
456	15	0-40	HCL	10YR 3/2	40-75	C	10YR 4/3	P		75-120	C	10YR 4/3	G	P
457	10	0-40	HCL	10YR 3/2	40-75	C	10YR 4/3	P		75-120	C	10YR 4/3	G	P
458	8	0-40	HCL	10YR 3/2	40-75	C	10YR 4/1	MOB	P	75-120	C	10YR 4/1	MO	P
459	8	0-40	C	10YR 3/3	40-75	C	10YR 4/3	MO	P	75-120	C	10YR 4/1	MO	P
460	6	0-40	C	10YR 3/3	40-75	C	10YR 4/3	MO	P	75-120	C	10YR 4/1	MO	P
461	7	0-40	C	10YR 3/2	40-70	C	10YR 4/3	MOB	P	70-120	C	10YR 4/3	MOB	P
462	7	0-40	C	10YR 3/2	40-70	C	10YR 4/3	MOB	P	70-120	C	10YR 4/3	MOB	P
463	8	0-40	C	10YR 3/2	40-70	C	10YR 4/1	MOB	P	70-120	C	10YR 4/3	MOB	P
464	9	0-40	C	10YR 3/2	40-70	C	10YR 4/1	MOB	P	70-120	C	10YR 4/3	MOB	P
465	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
466	10	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	C	10YR 5/1	MOB	P
467	6	0-45	C	10YR 3/3	45-75	C	10YR 4/3	MOB	P	75-120	S	10YR 5/4	MOB	P

468	7	0-45	C	10YR 4/2	45-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
469	9	0-40	C	10YR 4/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
470	10	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
471	11	0-40	C	10YR 3/3	40-75	C	10YR 5/1	MOB	P	75-120	SC	10YR 5/1	MOB	P
472	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MO	P
473	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	CAB	70-120	SC	10YR 5/1	MO	MASSIVE
474	12	0-40	C	10YR 3/2	40-70	C	10YR 5/1	MOB	P	70-120	SC	10YR 5/1	MO	P
				9.55										





535	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
536	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
537	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
538	25	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
539	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
540	24	0-30	C	10YR 4/2		30-60	SC	10YR 5/3	FO	P	60-120	C	10YR 5/1	MOB	P					
541	24	0-40	C	10YR 4/2		40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MOB	P					
542	14	0-35	C	10YR 4/2		35-70	C	10YR 5/1	MO	P	70-120	C	5YR 4/2	MG	P					
543	15	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
544	17	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
545	18	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
546	20	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
547	23	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
548	18	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
549	23	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
550	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
551	25	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
552	26	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
553	26	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
554	27	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
555	27	0-40	C	10YR 4/2		40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MOB	P					
556	28	0-40	C	10YR 4/2		40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MOB	P					
557	16	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
558	18	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
559	20	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
560	22	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
561	24	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	N 6/N	MO	P					
562	20	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
563	19	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
564	18	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
565	20	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
566	23	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
567	24	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
568	26	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
569	27	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
570	27	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
571	12	0-35	C	10YR 4/2		FO 35-120	C	5YR 4/2	MG	P										
572	13	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
573	15	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
574	16	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
575	19	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
576	20	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
577	18	0-40	C	10YR 4/2		40-60	C	10YR 5/3	MO	P	60-120	C	10YR 5/1	MOB	P					
578	23	0-30	C	10YR 4/2		30-60	SC	10YR 5/3	FO	P	60-120	C	10YR 5/1	MOB	P					
579	25	0-30	C	10YR 4/2		30-60	SC	10YR 5/3	FO	P	60-120	C	10YR 5/1	MOB	P					
580	27	NON AGRUCULTURAL																		
581	13	0-35	C	10YR 4/2		FO 35-120	C	5YR 4/2	MG	P										
582	15	0-35	C	10YR 4/2		FO 35-120	C	5YR 4/2	MG	P										
583	18	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
584	20	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
585	21	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
586	18	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	10YR 6/1	MO	P					
587	18	0-40	C	10YR 4/2		40-120	C	10YR 5/1	MOB	P										
588	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
589	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
590	13	0-35	C	10YR 4/2		FO 35-120	C	5YR 4/2	MG	P										
591	17	0-35	C	10YR 4/2		FO 35-120	C	5YR 4/2	MG	P										
592	19	0-35	C	10YR 4/2		FO 35-60	C	10YR 5/1	MO	P	60-120	C	N 6/N	MO	P					
593	15	0-30	C	10YR 4/2		30-50	C	10YR 4/2	FO	P	50-80	C	10YR 5/1	MO	M	80-120	C	5YR 4/2	MG	P
594	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
595	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
596	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
597	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					
598	12	0-30	C	10YR 4/2	5%	30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P					



663	14	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
664	15	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
665	16	0-30	HCL	10YR 4/2			30-120	C	10YR 5/1	MOB	P					
666	12	0-35	HCL	10YR 4/2	5%		30-60	C	10YR 5/1	MOB	P	60	IMP			
667	12	0-40	HCL	10YR 4/2			40-60	C	10YR 5/1	MOB	P	60-120	C	10YR 5/1	MOB	P
668	12	0-30	C	10YR 4/2			30-60	C	10YR 5/1	MOB	P	60-120	C	10YR 5/1	MOB	P
669	12	0-30	C	10YR 4/2			30-50	C	10YR 4/2	MOB	P	50-120	C	10YR 5/1	MOB	P
670	14	0-35	C	10YR 4/2			35-60	C	10YR 5/1	MOB	P	80-120	C	10YR 4/2	MG	P
671	15	0-35	C	10YR 4/2			35-60	C	10YR 5/1	MOB	P	80-120	C	10YR 4/2	MG	P
672	16	0-40	HCL	10YR 4/2			40-120	C	10YR 5/1	MO	P					
673	12	0-40	HCL	10YR 4/2			40-120	C	10YR 5/1	MO	CAB					
674	18	0-35	C	10YR 4/2			35-80	St C	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MOB	P
675	18	0-35	C	10YR 4/2			35-80	St C	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MOB	P
676	18	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
677	19	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
678	20	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
679	21	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
680	23	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
681	23	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	5YR 4/2	MG	P
682	23	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
683	23	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
684	23	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
685	24	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
686	12	0-30	SC	10YR 4/2			30-70	SC	10YR 4/2	MOB	P	70-120	C	10YR 5/1	MOB	P
687	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
688	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
689	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
690	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
691	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
692	12	0-30	C	10YR 4/2			30-50	C	10YR 5/3	MO	MAB	50-120	C	10YR 5/1	MOB	C Prism
693	12	0-30	C	10YR 4/2			30-50	C	10YR 5/3	MO	M	50-120	C	10YR 5/1	MOB	P
694	12	0-30	HCL	10YR 4/2	5%		30-50		10YR 5/1	MOB	P	50-120	C	10YR 5/1	MOB	P
695	12	0-35	HCL	10YR 4/2			35-120	C	10YR 5/1	MOB	P					
696	12	0-40	C	10YR 4/2			40-60	C	10YR 5/1	MOB	P	60-120	SC	10YR 5/1	MO	P
697	12	0-30	HCL	10YR 4/2			30-60	C	10YR 4/2	MOB	P	60-120	C	10YR 4/1	MOB	P
698	12	0-40	C	10YR 4/2			40-60	SCL	10YR 4/1	MO	P	60-100	SC	10YR 6/1	MOB	P
699	14	0-40	HCL	10YR 4/2			40-120	C	10YR 5/1	MO	P					
700	15	0-40	C	10YR 4/2			40-80	St C	10YR 5/3	MOB	P	80-120	C	10YR 5/1	MOB	P
701	19	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
702	18	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
703	20	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
704	21	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
705	18	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
706	20	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
707	21	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
708	23	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
709	23	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
710	22	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
711	21	0-35	C	10YR 4/2			35-50	C	10YR 5/3	MOB	P	50-120	St C	10YR 5/1	MOB	P
712	21	0-35	C	10YR 4/2		B	35-60	C	10YR 5/1	MOB	P	60-120	C	10YR 4/1	MO	P
713	12	0-30	SC	10YR 4/2			30-70	SC	10YR 4/2	MOB	P	70-120	C	10YR 5/1	MOB	P
714	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
715	12	0-30	HCL	10YR 4/2			30-120	C	10YR 5/1	MOB	P					
716	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
717	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
718	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
719	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
720	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
721	12	0-40	C	10YR 4/2			40-80	SCL	10YR 5/1	MO	P	80-120	SC	10YR 5/1	MOB	P
722	12	0-40	C	10YR 4/2			40-80	SCL	10YR 5/1	MO	P	80-120	SC	10YR 5/1	MOB	P
723	12	0-40	C	10YR 4/2			40-80	SCL	10YR 5/1	MO	P	80-120	SC	10YR 5/1	MOB	P
724	12	0-40	C	10YR 4/2			40-80	SCL	10YR 5/1	MO	P	80-120	SC	10YR 5/1	MOB	P
725	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P
726	12	0-30	C	10YR 4/2	5%		30-80	C	10YR 5/1	MOB	P	80-120	C	10YR 5/1	MOB	P







Appendix 3d - Augur sample results - Cottam 2

Sample No	Altitude	Topsoil				Stoniness	Mottles	Subsoil 1				Structure	Subsoil 2					
		Depth	Texture	Colour				Depth	Texture	Colour	Stoniness		Mottles	Depth	Texture	Colour	Stoniness	Mottles
915	15	0-40	HCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
916	15	0-40	HCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
917	15	0-40	HCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
918	15	0-40	HCL	10YR 3/2			40-75	C	10YR 5/1		MOB	CAB	75-120	C	10YR 5/1		MOB	P
919	15	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
920	15	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
921	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
922	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
923	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
924	15	0-40	SCL	10YR 3/2	5%		40-75	SC	10YR 5/3		MOB	P	75-120	SC	10YR 5/1		MOB	P
925	15	0-40	SCL	10YR 3/2	5%		40-75	SC	10YR 5/3		MOB	P	75-120	SC	10YR 5/1		MOB	P
926	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
927	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
928	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
929	15	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
930	17	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
931	17	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	SC	10YR 5/1		MOB	P
932	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	SC	10YR 5/1		MOB	P
933	15	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
934	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
935	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
936	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
937	15	0-40	SCL	10YR 3/2			40-75	SC	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
938	16	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
939	18	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
940	15	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
941	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
942	15	0-40	HCL	10YR 3/2	5%		40	IMP										
943	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
944	15	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
945	17	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
946	16	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
947	17	0-40	C	10YR 3/2			40-75	SC	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
948	18	0-40	C	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
949	18	0-40	C	10YR 3/2			40-75	SC	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
950	18	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
951	18	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/1		MOB	P	75-120	StC	10YR 5/1		MOB	P
952	17	0-40	C	10YR 3/2	5%		40-75	C	10YR 5/3		MOB	P	75-120	StC	10YR 5/3		MOB	P
953	15	0-40	C	10YR 3/2			40-75	C	10YR 5/3		MOB	P	75-120	StC	10YR 5/3		MOB	P
954	15	0-40	C	10YR 3/2			40-75	SC	10YR 5/3		MOB	P	75-120	StSC	10YR 5/3		MOB	P
955	17	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	P	75-120	C	10YR 5/1		MOB	P
956	18	0-40	SCL	10YR 3/2			40-75	C	10YR 5/1		MOB	CAB	75-120	C	10YR 5/1		MOB	MASSIVE
957	16	0-40	C	10YR 3/2			40-75	SC	10YR 5/1		MOB	P	75-120	S	10YR 5/1		MOB	G
958	16	0-40	C	10YR 3/2			40-75	C	10YR 5/3		MOB	P	75-120	C	10YR 5/1		MOB	P
959	18	0-40	C	10YR 3/2			40-75	C	10YR 5/3		MOB	P	75-120	C	10YR 5/1		MOB	P

960	18	0-40	C	10YR 3/2	5%	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
961	18	0-40	C	10YR 3/2	5%	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
962	18	0-40	C	10YR 3/2	5%	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
963	18	0-40	C	10YR 3/2		40-75	StC	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
964	16	0-40	C	10YR 3/2		40-75	C	10YR 5/3	MOB	P	75-120	StC	10YR 5/3	MOB	P
965	16	0-40	C	10YR 3/2		40-60	C	10YR 5/1	MOB	P	60	IMP			
966	17	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
967	18	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
968	18	0-40	C	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	C	10YR 5/3	MOB	P
969	18	0-40	C	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	C	10YR 5/3	MOB	P
970	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
971	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
972	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
973	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
974	17	0-40	C	10YR 3/2		40-75	StC	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
975	15	0-40	C	10YR 3/2	5%	40-75	SC	10YR 5/3		P	75-120	StC	10YR 5/3	MOB	P
976	15	0-40	C	10YR 3/2		40-65	C	10YR 5/3	MOB	P	65	IMP			
977	15	0-40	C	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	StSC	10YR 5/3	MOB	P
978	18	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
979	18	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
980	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	2.5YR 5/2	MOB	P
981	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	2.5YR 5/2	MOB	P
982	18	0-40	SCL	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	C	10YR 5/3	MOB	P
983	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
984	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
985	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
986	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
987	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
988	16	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
989	15	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
990	15	0-40	C	10YR 3/2		40-75	C	10YR 3/1	MO	P	75-120	StC	10YR 3/1	MOB	P
991	15	0-40	C	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	StSC	10YR 5/3	MOB	P
992	18	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
993	20	0-40	C	10YR 3/2		40-75	C	10YR 3/1	MOB	CAB	75-120	C	2.5YR 5/2	MOB	P
994	20	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
995	19	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
996	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
997	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
998	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
999	18	0-40	C	10YR 3/2		40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1000	18	0-40	C	10YR 3/2		40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1001	17	0-40	C	10YR 3/2		40-75	C	10YR 5/3	MOB	P	75-120	StC	10YR 5/3	MOB	P
1002	16	0-40	C	10YR 3/2		40-75	C	10YR 5/3	MOB	P	75-120	StC	10YR 5/3	MOB	P
1003	15	0-40	C	10YR 3/2		40-75	SC	10YR 5/3	MOB	P	75-120	StSC	10YR 5/3	MOB	P
1004	18	0-40	SCL	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1005	21	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	2.5YR 5/2	MOB	P
1006	19	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1007	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1008	18	0-40	C	10YR 3/2		40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P



1009	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1010	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3		P	75-120	C	10YR 5/3		P
1011	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1012	18	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
1013	17	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1014	15	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1015	18	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1016	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	2.5YR 5/2	MOB	P
1017	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1018	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1019	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3		P	75-120	C	10YR 4/2	FOB	P
1020	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1021	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1022	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	10YR 5/1	MOB	P
1023	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	P	75-120	C	2.5Y 4/2	MOB	P
1024	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	CAB	75-120	C	10YR 5/1	MOB	MASSIVE
1025	18	0-40	C	10YR 3/2	40-75	C	10YR 4/2		P	75-120	C	2.5Y 4/1	O	P
1026	19	0-40	C	10YR 2/2	40-75	C	10YR 4/1	MOB	CAB	75-120	C	10YR 5/1	MOB	P
1027	18	0-40	C	10YR 2/2	40-75	C	10YR 5/1	MOB	CAB	75-120	C	10YR 5/1	MOB	P
1028	18	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	CAB	75	IMP			
1029	19	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	CAB	75-120	S	10YR 5/3	MOB	P
1030	20	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	CAB	75-120	S	10YR 5/3	MOB	P
1031	20	0-40	C	10YR 3/2	40-75	C	10YR 5/3	MOB	CAB	75-120	S	10YR 5/3	MOB	P
1032	19	0-40	C	10YR 3/2	40-75	StC	10YR 5/1	MOB	CAB	75-120	C	10YR 5/1	MOB	P
1033	18	0-40	C	10YR 3/2	40-75	StC	10YR 5/1	MOB	CAB	75-120	C	10YR 5/1	MOB	P
1034	18	0-40	C	10YR 3/2	40-75	C	10YR 4/2		M	75-120	C	2.5Y 4/1	O	P
1035	18	0-40	C	10YR 2/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1036	18	0-40	C	10YR 2/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1037	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
1038	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
1039	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	StC	10YR 5/1	MOB	P
1040	19	0-40	C	10YR 3/2	40-75	C	10YR 5/1	MOB	P	75-120	C	10YR 4/2	MOB	P
1041	18	0-40	C	10YR 3/2	40-75	StC	10YR 5/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1042	18	0-40	C	10YR 3/2	40-75	C	10YR 4/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1043	18	0-40	C	10YR 3/2	40-75	C	10YR 4/1	MOB	P	75-120	C	10YR 5/1	MOB	P
1044	18	0-40	SCL	10YR 3/2	40-75	S	10YR 5/3	MO	M	75-120	S	10YR 5/3	MO	P
1045	18	0-40	C	10YR 3/2	40-75	C	10YR 4/2	MO	P	75-120	C	10YR 4/2	MOB	P
1046	19	0-40	C	10YR 3/2	40-75	C	2.5Y 4/2	MO	P	75-120	C	2.5Y 4/2	MOB	P
1047	18	0-40	C	10YR 3/2	40-75	C	2.5Y 4/2	MO	P	75-120	C	2.5Y 4/2	MOB	P

Appendix 3e - Augur sample results - Cottam 3

Sample No	Altitude	Topsoil					Subsoil 1						Subsoil 2						Subsoil 3					
		Depth	Texture	Colour	Stoniness	Mottles	Depth	Texture	Colour	Stoniness	Mottles	Structure	Depth	Texture	Colour	Stoniness	Mottles	Structure	Depth	Texture	Colour	Stoniness	Mottles	Structure
1048	20	0-30	MCL	7.5YR 4/2	5%		30-50	St C	2.5Y 5/3		MOB	C Platy	50-70	SC	2.5Y 5/1		MOB	C Platy	70-120	C	2.5Y 5/1		MOB	C Prism
1049	21	0-30	MCL	7.5YR 4/2	5%		30-50	St C	2.5Y 5/3		MOB	P	50-70	SC	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1050	19	0-30	HCL	7.5YR 4/2	5%		30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1051	20	0-30	HCL	7.5YR 4/2	5%		30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1052	21	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1053	21	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1054	20	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1055	21	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	CAB	60-120	C	2.5Y 5/1		MOB	P						
1056	20	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1057	21	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1058	20	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1059	23	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1060	20	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1061	19	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1062	21	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1063	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	P	70-120	C	5YR 4/4		MG	P						
1064	24	0-30	HCL	7.5YR 4/2			30-80	C	2.5Y 5/3		MOB	P	80	IMP										
1065	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1066	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1067	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	P	70-120	C	5YR 4/4		MG	P						
1068	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	C Platy	70-120	C	5YR 4/4		MG	P						
1069	24	0-30	HCL	7.5YR 4/2			30-50	C	2.5Y 5/3		MOB	P	50-70	C	2.5Y 4/1		MO	P	70-120	C	2.5Y 5/1		MO	P
1070	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1071	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1072	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	P	70-120	C	5YR 4/4		MG	P						
1073	24	0-35	HCL	7.5YR 4/2			35-50	C	2.5Y 5/3		MOB	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	7.5YR 5/6		MBG	P
1074	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1075	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1076	24	0-30	HCL	7.5YR 4/2			30-60	C	2.5Y 5/3		MOB	P	60-120	C	2.5Y 5/1		MOB	P						
1077	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	P	70-120	C	5YR 4/4		MG	P						
1078	24	0-30	HCL	10YR 4/2			30-70	C	10YR 5/1		MO	P	70-120	C	5YR 4/4		MG	P						
1079	24	0-30	MCL	7.5YR 4/2			30-50	C	2.5Y 5/1		MO	P	50-90	SC	2.5Y 5/1		MOB	P	90-120	C	2.5Y 5/1		MO	P
1080	24	0-30	MCL	7.5YR 4/2			30-50	C	2.5Y 5/1		MO	P	50-90	S	10YR 5/6		FO	P	90-120	C	2.5Y 5/1		MO	P
1081	24	0-30	MCL	7.5YR 4/2			30-50	C	2.5Y 5/1		MO	P	50-90	S	10YR 5/6		FO	P	90-120	C	2.5Y 5/1		MO	P
1082	24	0-30	MCL	7.5YR 4/2			30-50	C	2.5Y 5/1		MO	P	50-90	S	10YR 5/6		FO	P	90-120	C	2.5Y 5/1		MO	P
1083	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1084	24	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1085	24	0-40	HCL	10YR 4/2	5%		40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1086	24	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1087	24	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1088	24	0-40	C	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1089	24	0-30	MCL	7.5YR 4/2			30-50	C	2.5Y 5/1		MO	P	50-90	S	10YR 5/6		FO	P	90-120	C	2.5Y 5/1		MO	P
1090	24	0-30	MCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1091	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1092	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1093	23	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1094	24	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1095	24	0-40	HCL	10YR 4/2			40-80	C	10YR 5/1		MO	P	80-120	S	7.5YR 4/4		P							
1096	24	0-30	C	10YR 4/2	5%		30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1097	24	0-30	C	10YR 4/2			30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1098	24	0-30	C	10YR 4/2			30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1099	24	0-30	HCL	10YR 4/2			30-80	S	5YR 4/4		MO	M	80-120	C	5YR 4/4		G	P						
1100	24	0-30	C	10YR 4/2			30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1101	24	0-30	C	10YR 4/2			30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1102	24	0-30	C	10YR 4/2			30-50	C	10YR 5/1		MO	P	50-120	C	10YR 5/1		MOB	P						
1103	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1104	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1105	24	0-30	HCL	7.5YR 4/2	5%		30-50	C	10YR 5/3		MO	P	50-70	St C	2.5Y 5/1		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1106	24	0-30	C	7.5YR 4/2			30-50	C	10YR 5/3		MOB	P	50-70	SC	10YR 5/3		MOB	P	70-120	C	2.5Y 5/1		MOB	P
1107	24	0-30	C	7.5YR 4/2			30-50	C	10YR 5/3		MOB	P	50-70	SC	10YR 5/3		MOB	P	70-120	C	2.5Y 5/1		MOB	P



1172	24	0-30	HCL	7.5YR 4/2	5%	30-50	C	10YR 5/3	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1173	24	0-30	HCL	7.5YR 4/2	5%	30-50	C	10YR 5/3	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1174	24	0-30	HCL	10YR 4/2		30-80	S	5YR 4/4	MO	P	80-120	C	5YR 4/4	G	P					
1175	24	0-30	HCL	10YR 4/2		30-80	S	5YR 4/4	MO	P	80-120	C	5YR 4/4	G	P					
1176	24	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1177	23	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1178	23	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1179	23	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1180	23	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1	MO	P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1181	19	0-50	HCL	10YR 4/2	5%	50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1182	21	0-50	HCL	10YR 4/2		50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1183	21	0-50	HCL	10YR 4/2		50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1184	21	0-30	C	10YR 4/2	5%	30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1185	22	0-30	C	10YR 4/2	5%	30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1186	22	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1187	22	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1188	24	0-30	C	10YR 4/2		30-50	C	10YR 5/1	MO	P	50-120	C	10YR 5/1	MOB	P					
1189	24	0-30	C	10YR 4/2		30-50	C	10YR 5/1	MO	P	50-120	C	10YR 5/1	MOB	P					
1190	24	0-30	C	10YR 4/2		30-50	C	10YR 5/1	MO	P	50-120	C	10YR 5/1	MOB	P					
1191	24	0-30	HCL	7.5YR 4/2		30-50	HCL	7.5YR 4/2	10%	P	50-70	SC	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1192	24	0-30	HCL	7.5YR 4/2		30-50	C	10YR 4/1		P	50-70	St C	2.5Y 5/1	MOB	P	70-120	C	2.5Y 5/1	MOB	P
1193	21	0-50	HCL	10YR 4/2	5%	50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1194	21	0-50	HCL	10YR 4/2	5%	50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1195	23	0-30	C	10YR 4/2	5%	30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1196	23	0-30	C	10YR 4/2	5%	30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1197	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1198	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1199	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1200	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1201	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1202	24	0-30	HCL	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1203	24	0-30	HCL	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1204	24	0-30	SC	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-100	C	2.5Y 5/1	MOB	P	100-120	S	7.5YR 4/4		M
1205	24	0-30	SC	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-100	C	2.5Y 5/1	MOB	P	100-120	S	7.5YR 4/4		M
1206	22	0-50	HCL	10YR 4/2		50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1207	21	0-50	HCL	10YR 4/2	5%	50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1208	22	0-50	HCL	10YR 4/2	5%	50-70	SC	10YR 5/3	MOB	CAB	70-120	St C	10YR 5/1	MOB	P					
1209	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1210	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1211	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1212	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1213	24	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1214	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-80	C	2.5Y 5/1	MOB	P	80-120	C	5YR 4/3	MG	P
1215	22	0-30	HCL	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1216	22	0-30	C	10YR 3/2		30-70	S	10YR 5/6		P	70-120	C	2.5Y 5/1	MOB	P					
1217	21	0-30	SC	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-100	C	2.5Y 5/1	MOB	P	100-120	S	7.5YR 4/4		G
1218	20	0-30	SC	10YR 4/2		30-50	C	2.5Y 5/3	MO	P	50-100	C	2.5Y 5/1	MOB	P	100-120	S	7.5YR 4/4		G
1219	20	0-30	SC	10YR 4/2		30-50	C	2.5Y 5/3	MO	CAB	50-100	C	2.5Y 5/1	MOB	C Platy	100-120	S	7.5YR 4/4		SINGLE GRAIN
1220	22	0-50	HCL	10YR 4/2		50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1221	23	0-50	HCL	10YR 4/2		50-70	SC	10YR 5/3	MOB	P	70-120	St C	10YR 5/1	MOB	P					
1222	25	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1223	23	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					
1224	22	0-30	C	10YR 4/2		30-50	C	2.5Y 5/1	MO	P	50-120	C	2.5Y 5/1	MOB	P					

### **Appendix 3f – Trial Pit Descriptions**

#### **Sample point 9:**

Surface flat and unslaked

Horizon 1: 0-40cm Dark yellowish brown (10YR 4/4) heavy clay loam with a weak medium subangular blocky structure. *The topsoil showed a minor reaction to the infield HCl test for calcium carbonate, but no other sample points nearby showed a reaction. This was discussed with the farm manager who confirmed that the site has in the past been used as a tip point for lime that has been regularly spread on the whole farm.*

Horizon 2: 40-70cm Greyish brown (10YR 5/2) clay with a coarse angular blocky structure and many ochreous mottles.

Horizon 3: 70-90cm Greyish brown (10YR 5/2) slightly stony clay with a medium angular blocky structure and many ochreous mottles.

Horizon 4: 90-120cm Grey (10YR 5/1) clay with a massive structure and many ochreous mottles.

#### **Sample point 146:**

Surface flat and unslaked

Horizon 1: 0-40cm Dark greyish brown (10YR 4/2) sandy clay loam with a fine subangular blocky structure

Horizon 2: 40-70cm Brown (10YR 5/3) silty clay loam with a weak medium angular blocky structure and many ochreous mottles

Horizon 3: 70-120cm Grey (10YR 5/1) clay with a coarse prismatic structure and many ochreous mottles.

#### **Sample point 223:**

Horizon 1: 0-45cm Dark greyish brown (10YR 4/2) sandy clay loam with a fine subangular blocky structure

Horizon 2: 45-80cm Grey (10YR 5/1) clay with a coarse angular blocky structure and many ochreous and black mottles.

Horizon 3: 80-120cm Grey (10YR 5/1) clay with a massive structure and many ochreous and black mottles.

#### **Sample point 473:**

Surface flat and unslaked

Horizon 1: 0-40cm Very dark greyish brown (10YR 3/2) clay with a weak medium angular blocky structure

Horizon 2: 40-70cm Grey (10YR 5/1) clay with a coarse angular blocky structure and many ochreous and black mottles.

Horizon 3: 70-120cm Grey (10YR 5/1) clay with a massive structure and many ochreous mottles.

**Sample Point 899:**

Surface flat and unslaked

Horizon 1: 0-35cm Dark greyish brown (10YR 4/2) clay with a weak coarse subangular blocky structure

Horizon 2: 35-60cm Grey (10YR 5/1) clay with a coarse angular blocky structure and many ochreous and black mottles.

Horizon 3: 60-120cm Dark grey (10YR 4/1) clay with a massive structure and many ochreous mottles.

**Sample point 956:**

Surface flat and unslaked

Horizon 1: 0-40cm Very dark greyish brown (10YR 3/2) sandy clay loam with a weak fine subangular blocky structure

Horizon 2: 40-75cm Grey (10YR 5/1) clay with a coarse angular blocky structure and many ochreous and black mottles.

Horizon 3: 75-120cm Grey (10YR 5/1) clay with a massive structure and many ochreous and black mottles.

**Sample point 1024:**

Surface flat and unslaked

Horizon 1: 0-40cm Very dark greyish brown (10YR 3/2) clay with a weak medium angular blocky structure

Horizon 2: 40-75cm Brown (10YR 5/3) clay with a coarse angular blocky structure and many ochreous and black mottles.

Horizon 3: 75-120cm Grey (10YR 5/1) clay with a massive structure and many ochreous and black mottles.

**Sample point 1108:**

Surface flat and unslaked

Horizon 1: 0-30cm Dark brown (7.5YR 3/2) loamy sand with a granular structure

Horizon 2: 30-120cm Grey (10YR 5/1) sand with a massive structure and very firm consistence.

**Sample point 1149:**

Surface flat and unslaked

Horizon 1: 0-25cm Dark brown (7.5YR 3/2) sandy clay loam with a fine subangular blocky structure

Horizon 2: 25-40cm Dark reddish grey (5YR 4/2) sandy clay with a weak coarse subangular blocky structure

Horizon 3: 40-90cm Grey (10YR 5/1) clay with a coarse platy structure and many ochreous mottles

Impenetrable to both augur and spade at 90cm due to stone.

**Sample point 1219:**

Surface flat and unslaked

Horizon 1: 0-30cm Dark greyish brown (10YR 4/2) sandy clay with a weak coarse subangular blocky structure

Horizon 2: 30-50cm Light olive brown (2.5Y 5/3) clay with a coarse angular blocky structure and many ochreous mottles

Horizon 3: 50-100cm Grey (2.5Y 5/1) clay with a coarse platy structure and many ochreous and black mottles

Horizon 3: 100-120cm Brown (7.5YR 4/4) sand with a single grained structure.



**ANALYTICAL REPORT**

<b>Report Number</b>	<b>80310-21</b>	<b>W250</b>	<b>AMET PROPERTY</b>	<b>Client ISLAND GP-COTTAM</b>
<b>Date Received</b>	<b>14-DEC-2021</b>		<b>HENWICK BARN</b>	
<b>Date Reported</b>	<b>21-DEC-2021</b>		<b>BULWICK</b>	
<b>Project</b>	<b>SOIL</b>		<b>CORBY</b>	
<b>Reference</b>	<b>ISLAND GP</b>		<b>NORTHANTS</b>	
<b>Order Number</b>			<b>NN17 3DU</b>	

Laboratory Reference		SOIL538952	SOIL538953	SOIL538954	SOIL538955	SOIL538956				
Sample Reference		1149	223	899	1219	1169				
Determinand	Unit	SOIL	SOIL	SOIL	SOIL	SOIL				
Sand 2.00-0.063mm	% w/w	60	53	31	47	56				
Silt 0.063-0.002mm	% w/w	18	24	23	19	19				
Clay <0.002mm	% w/w	22	23	46	34	25				
Textural Class **		SCL	SCL	C	SC	SCL				

**Notes**

Analysis Notes      The sample submitted was of adequate size to complete all analysis requested.  
 The results as reported relate only to the item(s) submitted for testing.  
 The results are presented on a dry matter basis unless otherwise stipulated.

Document Control      **This test report shall not be reproduced, except in full, without the written approval of the laboratory.**

Reported by      ***Myles Nicholson***  
 Natural Resource Management, a trading division of Cawood Scientific Ltd.  
 Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS  
 Tel: 01344 886338  
 Fax: 01344 890972  
 email: enquiries@nrm.uk.com

\*\* Please see the attached document for the definition of textural classes.



## ADAS (UK) Textural Class Abbreviations

The texture classes are denoted by the following abbreviations:

<b>Class</b>	<b>Code</b>
Sand	S
Loamy sand	LS
Sandy loam	SL
Sandy Silt loam	SZL
Silt loam	ZL
Sandy clay loam	SCL
Clay loam	CL
Silt clay loam	ZCL
Clay	C
Silty clay	ZC
Sandy clay	SC

For the *sand*, *loamy sand*, *sandy loam* and *sandy silt loam* classes the predominant size of sand fraction may be indicated by the use of prefixes, thus:

vf	Very Fine (more than 2/3's of sand less than 0.106 mm)
f	Fine (more than 2/3's of sand less than 0.212 mm)
c	Coarse (more than 1/3 of sand greater than 0.6 mm)
m	Medium (less than 2/3's fine sand and less than 1/3 coarse sand).

The subdivisions of *clay loam* and *silty clay loam* classes according to clay content are indicated as follows:

M	medium (less than 27% clay)
H	heavy (27-35% clay)

Organic soils i.e. those with an organic matter greater than 10% will be preceded with a letter O.

Peaty soils i.e. those with an organic matter greater than 20% will be preceded with a letter P.



**ANALYTICAL REPORT**

<b>Report Number</b>	<b>84783-22</b>	<b>W250</b>	<b>AMET PROPERTY</b>	<b>Client ISLAND GP</b>
<b>Date Received</b>	<b>24-JAN-2022</b>		<b>HENWICK BARN</b>	<b>COTTAM</b>
<b>Date Reported</b>	<b>01-FEB-2022</b>		<b>BULWICK</b>	
<b>Project</b>	<b>SOIL</b>		<b>CORB Y</b>	
<b>Reference</b>	<b>ISLAND GP</b>		<b>NORTHANTS</b>	
<b>Order Number</b>			<b>NN17 3DU</b>	

Laboratory Reference		SOIL542857	SOIL542858	SOIL542859	SOIL542860					
Sample Reference		9	146	473	956					
Determinand	Unit	SOIL	SOIL	SOIL	SOIL					
Sand 2.00-0.063mm	% w/w	42	56	43	64					
Silt 0.063-0.002mm	% w/w	25	24	15	14					
Clay <0.002mm	% w/w	33	20	42	22					
Textural Class **		HCL	SCL	C	SCL					

**Notes**

Analysis Notes      The sample submitted was of adequate size to complete all analysis requested.  
 The results as reported relate only to the item(s) submitted for testing.  
 The results are presented on a dry matter basis unless otherwise stipulated.

Document Control      **This test report shall not be reproduced, except in full, without the written approval of the laboratory.**

Reported by      ***Linaben Patel***  
 Natural Resource Management, a trading division of Cawood Scientific Ltd.  
 Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS  
 Tel: 01344 886338  
 Fax: 01344 890972  
 email: enquiries@nrm.uk.com

\*\* Please see the attached document for the definition of textural classes.

## ADAS (UK) Textural Class Abbreviations

The texture classes are denoted by the following abbreviations:

<b>Class</b>	<b>Code</b>
Sand	S
Loamy sand	LS
Sandy loam	SL
Sandy Silt loam	SZL
Silt loam	ZL
Sandy clay loam	SCL
Clay loam	CL
Silt clay loam	ZCL
Clay	C
Silty clay	ZC
Sandy clay	SC

For the *sand*, *loamy sand*, *sandy loam* and *sandy silt loam* classes the predominant size of sand fraction may be indicated by the use of prefixes, thus:

vf	Very Fine (more than 2/3's of sand less than 0.106 mm)
f	Fine (more than 2/3's of sand less than 0.212 mm)
c	Coarse (more than 1/3 of sand greater than 0.6 mm)
m	Medium (less than 2/3's fine sand and less than 1/3 coarse sand).

The subdivisions of *clay loam* and *silty clay loam* classes according to clay content are indicated as follows:

M	medium (less than 27% clay)
H	heavy (27-35% clay)

Organic soils i.e. those with an organic matter greater than 10% will be preceded with a letter O.

Peaty soils i.e. those with an organic matter greater than 20% will be preceded with a letter P.



**ANALYTICAL REPORT**

<b>Report Number</b>	<b>88030-22</b>	<b>W250</b>	<b>AMET PROPERTY</b>	<b>Client ISLAND GP</b>
<b>Date Received</b>	<b>07-FEB-2022</b>		<b>HENWICK BARN</b>	<b>COTTAM</b>
<b>Date Reported</b>	<b>16-FEB-2022</b>		<b>BULWICK</b>	
<b>Project</b>	<b>SOIL</b>		<b>CORB Y</b>	
<b>Reference</b>	<b>ISLAND GP</b>		<b>NORTHANTS</b>	
<b>Order Number</b>			<b>NN17 3DU</b>	

Laboratory Reference		SOIL545615	SOIL545616	SOIL545617						
Sample Reference		994	1024	1027						
Determinand	Unit	SOIL	SOIL	SOIL						
Sand 2.00-0.063mm	% w/w	59	44	38						
Silt 0.063-0.002mm	% w/w	15	19	15						
Clay <0.002mm	% w/w	26	37	47						
Textural Class **		SCL	C	C						

**Notes**

Analysis Notes      The sample submitted was of adequate size to complete all analysis requested.  
 The results as reported relate only to the item(s) submitted for testing.  
 The results are presented on a dry matter basis unless otherwise stipulated.

Document Control      **This test report shall not be reproduced, except in full, without the written approval of the laboratory.**

Reported by      ***Myles Nicholson***  
 Natural Resource Management, a trading division of Cawood Scientific Ltd.  
 Coopers Bridge, Braziers Lane, Bracknell, Berkshire, RG42 6NS  
 Tel: 01344 886338  
 Fax: 01344 890972  
 email: enquiries@nrm.uk.com

\*\* Please see the attached document for the definition of textural classes.

## ADAS (UK) Textural Class Abbreviations

The texture classes are denoted by the following abbreviations:

<b>Class</b>	<b>Code</b>
Sand	S
Loamy sand	LS
Sandy loam	SL
Sandy Silt loam	SZL
Silt loam	ZL
Sandy clay loam	SCL
Clay loam	CL
Silt clay loam	ZCL
Clay	C
Silty clay	ZC
Sandy clay	SC

For the *sand*, *loamy sand*, *sandy loam* and *sandy silt loam* classes the predominant size of sand fraction may be indicated by the use of prefixes, thus:

vf	Very Fine (more than 2/3's of sand less than 0.106 mm)
f	Fine (more than 2/3's of sand less than 0.212 mm)
c	Coarse (more than 1/3 of sand greater than 0.6 mm)
m	Medium (less than 2/3's fine sand and less than 1/3 coarse sand).

The subdivisions of *clay loam* and *silty clay loam* classes according to clay content are indicated as follows:

M	medium (less than 27% clay)
H	heavy (27-35% clay)

Organic soils i.e. those with an organic matter greater than 10% will be preceded with a letter O.

Peaty soils i.e. those with an organic matter greater than 20% will be preceded with a letter P.

**Appendix 4a - Wetness and droughtiness assesment - Cottam 1a**

Sample No	Wetness Assesment			Wetness Class	Grade According to Wetness	Droughtiness Assessment		Grade According to Droughtiness	ALC Grade
	Depth to SPL	Gley	Reddish			MB Wheat	MB Potato		
1	40	40	N	III	3b				3b
2	40	40	N	III	3b				3b
3	40	40	N	III	3b				3b
4	40	40	N	III	3b				3b
5	40	40	N	III	3b				3b
6	40	40	N	III	3b				3b
7	40	40	N	III	3b				3b
8	35	30	N	III	3b				3b
9	35	40	N	III	3b				3b
10	40	40	N	III	3b				3b
11	40	40	N	III	3b				3b
12	40	40	N	III	3b				3b
13	40	40	N	III	3b				3b
14	40	40	N	III	3b				3b
15	40	40	N	III	3b				3b
16	40	40	N	III	3b				3b
17	40	40	N	III	3b				3b
18	40	40	N	III	3b				3b
19	40	40	N	III	3b				3b
20	40	40	N	III	3b				3b
21	35	40	N	III	3b				3b
22	40	40	N	III	3b				3b
23	40	40	N	III	3b				3b
24	40	40	N	III	3b				3b
25	40	40	N	III	3b				3b
26	40	40	N	III	3b				3b
27	40	40	N	III	3b				3b
28	40	40	N	III	3b				3b
29	40	40	N	III	3b				3b
30	40	40	N	III	3b				3b
31	40	40	N	III	3b				3b
32	40	40	N	III	3b				3b
33	40	40	N	III	3b				3b
34	40	40	N	III	3b				3b
35	35	40	N	III	3b				3b
36	40	40	N	III	3b				3b
37	40	40	N	III	3b				3b
38	40	40	N	III	3b				3b
39	40	40	N	III	3b				3b
40	40	40	N	III	3b				3b
41	45	45	N	II	3a				3a
42	45	45	N	II	3a				3a
43	45	45	N	II	3a				3a
44	45	45	N	II	3a				3a
45	45	45	N	II	3a				3a
46	40	40	N	III	3b				3b
47	45	45	N	II	3a				3a
48	45	45	N	II	3a				3a
49	45	45	N	II	3a				3a
50	45	45	N	II	3a				3a
51	40	40	N	III	3b				3b
52	40	40	N	III	3b				3b
53	45	45	N	II	3a				3a
54	45	45	N	II	3a				3a

55	45	45	N	II	3a					3a
56	45	45	N	II	3a					3a
57	40	40	N	III	3b					3b
58	40	40	N	III	3b					3b
59	40	40	N	III	3b					3b
60	40	40	N	III	3b					3b
61	40	40	N	III	3b					3b
62	40	40	N	III	3b					3b
63	35	35	N	III	3a					3a
64			N	I	1	21.46	29.18	1		1
65			N	I	1	21.46	29.18	1		1
66			N	I	1	21.46	29.18	1		1
67	40	40	N	III	3a					3a
68	40	40	N	III	3a					3a
69	35	30	N	III	3b					3b
70	35	30	N	III	3b					3b
71	35	30	N	III	3b					3b
72	35	30	N	III	3b					3b
73	35	35	N	III	3a					3a
74	35	35	N	III	3a					3a
75	35	30	N	III	3b					3b
76	35	30	N	III	3b					3b
77	35	30	N	III	3b					3b
78	35	30	N	III	3b					3b
79	35	30	N	III	3b					3b
80	35	35	N	III	3a					3a
81	35	35	N	III	3a					3a
82	35	30	N	III	3b					3b
83	40	40	N	III	3a					3a
84	40	40	N	III	3a					3a
85	35	35	N	III	3b					3b
86	35	35	N	III	3b					3b
87	35	35	N	III	3b					3b
88	35	35	N	III	3b					3b
89	35	35	N	III	3b					3b
90	35	35	N	III	3b					3b
91	35	40	N	III	3b					3b
92	35	40	N	III	3b					3b
93	35	40	N	III	3b					3b
94	35	40	N	III	3b					3b
95	35	40	N	III	3b					3b
96	35	35	N	III	3b					3b
97	35	35	N	III	3b					3b
98	35	35	N	III	3b					3b
99	35	35	N	III	3b					3b
100	35	30	N	III	3b					3b
101	35	40	N	III	3b					3b
102	35	40	N	III	3b					3b
103	35	40	N	III	3b					3b
104	35	40	N	III	3b					3b
105	35	40	N	III	3b					3b
106	35	30	N	III	3b					3b
107	35	30	N	III	3b					3b
108	35	30	N	III	3b					3b
109	35	30	N	III	3b					3b
110			N	I	1	-6.54	-23.82	3a		3a
111	35	30	N	III	3b					3b
112	35	30	N	III	3b					3b

113	35	30	N	III	3b					3b
114	35	30	N	III	3b					3b
115	35	40	N	III	3b					3b
116	35	40	N	III	3b					3b
117	35	40	N	III	3b					3b
118	35	40	N	III	3b					3b
119	35	30	N	III	3b					3b
120			N	I	2	-41.54	-33.82		3b	3b
121	35	30	N	III	3b					3b
122	35	30	N	III	3b					3b
123	35	30	N	III	3b					3b
124	35	30	N	III	3b					3b
125	35	30	N	III	3a					3a
126	35	30	N	III	3b					3b
127	40	40	N	III	3a					3a
128	35	35	N	III	3a					3a
129			N	I	1	-20.54	-12.82		3b	3b
130			N	I	1	-20.54	-12.82		3b	3b
131	35	35	N	III	3a					3a
132	35	35	N	III	3b					3b
133	45	45	N	II	3a					3a
134	45	45	N	II	3a					3a
135	60	30	N	II	2					2
136			N	I	1	-20.54	-12.82		3b	3b
137	40	40	N	III	3a					3a
138	40	40	N	III	3a					3a
139	35	35	N	III	3a					3a
140	35	35	N	III	3a					3a
141	35	35	N	III	3b					3b
142	35	35	N	III	3b					3b
143	35	35	N	III	3b					3b
144	45	45	N	II	2					2
145	40	40	N	III	3a					3a
146	40	40	N	III	3a					3a
147	60	30	N	II	2					2
148	40	40	N	III	3a					3a
149	40	40	N	III	3a					3a
150	45	45	N	II	3a					3a
151	45	45	N	II	3a					3a



**Appendix 4b - Wetness and Droughtiness Assessment - Cottam 1b**

Sample No	Wetness Assesment			Grade	Droughtiness Assessment		Grade	
	Depth to		Wetness	According to	MB Wheat	MB Potato	According to	ALC
	SPL	Gley	Class	Wetness			Droughtiness	Grade
152	40	<40	III	3b				3b
153	40	<40	III	3b				3b
154	40	<40	III	3b				3b
155	40	<40	III	3b				3b
156	40	<40	III	3b				3b
157	40	<40	III	3b				3b
158	40	<40	III	3b				3b
159	40	<40	III	3b				3b
160	40	<40	III	3b				3b
161	40	<40	III	3b				3b
162	40	<40	III	3b				3b
163	40	<40	III	3b				3b
164	40	<40	III	3b				3b
165	35	<40	III	3a				3a
166	35	<40	III	3a				3a
167	40	<40	III	3b				3b
168	40	<40	III	3b				3b
169	40	<40	III	3b				3b
170	40	<40	III	3b				3b
171	40	<40	III	3b				3b
172	40	<40	III	3b				3b
173	40	<40	III	3b				3b
174	40	<40	III	3b				3b
175	40	<40	III	3b				3b
176	40	<40	III	3b				3b
177	40	<40	III	3b				3b
178	35	<40	III	3b				3b
179	35	<40	III	3b				3b
180	40	<40	III	3b				3b
181	40	<40	III	3b				3b
182	40	<40	III	3b				3b
183	40	<40	III	3b				3b
184	40	<40	III	3b				3b
185			I	3a				3a
186	40	<40	III	3b				3b
187	40	<40	III	3b				3b
188	40	<40	III	3b				3b
189	40	<40	III	3b				3b
190	40	<40	III	3b				3b
191	40	<40	III	3b				3b
192	40	<40	III	3b				3b
193	40	<40	III	3b				3b
194	40	<40	III	3b				3b
195	40	<40	III	3b				3b
196	40	<40	III	3b				3b
197	40	<40	III	3a				3a
198	40	<40	III	3b				3b

199	40	<40	III	3a	3a
200	35	<40	III	3b	3b
201	35	<40	III	2	2
202	35	<40	III	3b	3b
203	35	<40	III	3b	3b
204	45	40-70	II	2	2
205	40	<40	III	3b	3b
206	40	<40	III	3b	3b
207	40	<40	III	3b	3b
208	40	<40	III	3b	3b
209	40	<40	III	3b	3b
210	40	<40	III	3b	3b
211	40	<40	III	3b	3b
212	40	<40	III	3b	3b
213	40	<40	III	3b	3b
214	40	<40	III	3b	3b
215	40	<40	III	3b	3b
216	40	<40	III	3b	3b
217	40	<40	III	3b	3b
218	40	<40	III	3b	3b
219	40	<40	III	3b	3b
220	35	<40	III	3a	3a
221	45	40-70	II	2	2
222	45	40-70	II	2	2
223	45	40-70	II	2	2
224	45	40-70	II	2	2
225	40	<40	III	3b	3b
226	40	<40	III	3b	3b
227	35	<40	III	3b	3b
228	35	<40	III	3b	3b
229	45	40-70	II	2	2
230	45	40-70	II	2	2
231	45	40-70	II	2	2
232	40	<40	III	3b	3b
233	40	<40	III	3b	3b
234	40	<40	III	3b	3b
235	40	<40	III	3b	3b
236	40	<40	III	3b	3b
237	40	<40	III	3b	3b
238	40	<40	III	3b	3b
239	40	<40	III	3b	3b
240	40	<40	III	3b	3b
241	40	<40	III	3b	3b
242	40	<40	III	3b	3b
243	40	<40	III	3b	3b
244	40	<40	III	3b	3b
245	40	<40	III	3b	3b
246	40	<40	III	3b	3b
247	40	<40	III	3b	3b
248	40	<40	III	3b	3b
249	45	40-70	II	2	2

250	45	40-70	II	2	2
251	45	40-70	II	2	2
252	45	40-70	II	2	2
253	45	40-70	II	2	2
254	45	40-70	II	2	2
255	45	40-70	II	2	2
256	45	40-70	II	2	2
257			I	2	2
258	35	<40	III	3a	3a
259	35	<40	III	3a	3a
260	40	<40	III	3b	3b
261	40	<40	III	3b	3b
262	40	<40	III	3b	3b
263	40	<40	III	3b	3b
264	40	<40	III	3b	3b
265	40	<40	III	3b	3b
266	40	<40	III	3b	3b
267	40	<40	III	3b	3b
268	40	<40	III	3b	3b
269	40	<40	III	3b	3b
270	40	<40	III	3b	3b
271	40	<40	III	3b	3b
272	40	<40	III	3b	3b
273	35	<40	III	3b	3b
274	35	<40	III	3b	3b
275	35	<40	III	3b	3b
276	45	40-70	II	2	2
277	45	40-70	II	2	2
278	35	<40	III	3b	3b
279	35	<40	III	3b	3b
280	35	<40	III	3a	3a
281	35	<40	III	3a	3a
282	35	<40	III	3a	3a
283	40	<40	III	3b	3b
284	40	<40	III	3b	3b
285	40	<40	III	3b	3b
286	40	<40	III	3b	3b
287	40	<40	III	3b	3b
288	40	<40	III	3b	3b
289	40	<40	III	3b	3b
290	40	<40	III	3b	3b
291	40	<40	III	3b	3b
292	40	<40	III	3b	3b
293	40	<40	III	3b	3b
294	40	<40	III	3b	3b
295	35	<40	III	3b	3b
296	35	<40	III	3a	3a
297	35	<40	III	3a	3a
298	35	<40	III	3a	3a
299	35	<40	III	3a	3a
300	35	<40	III	3b	3b

301	35	<40	III	3b	3b
302	45	40-70	II	2	2
303	45	40-70	II	2	2
304	45	40-70	II	2	2
305	40	<40	III	3b	3b
306	40	<40	III	3b	3b
307	40	<40	III	3b	3b
308	40	<40	III	3b	3b
309	40	<40	III	3b	3b
310	40	<40	III	3b	3b
311	40	<40	III	3b	3b
312	40	<40	III	3b	3b
313	40	<40	III	3a	3a
314	40	<40	III	3a	3a
315	40	<40	III	3b	3b
316	40	<40	III	3b	3b
317	40	<40	III	3b	3b
318	40	<40	III	3b	3b
319	40	<40	III	3b	3b
320	35	<40	III	3b	3b
321	35	<40	III	3b	3b
322	40	<40	III	3b	3b
323	40	<40	III	3b	3b
324	40	<40	III	3b	3b
325	40	<40	III	3b	3b
326	45	40-70	II	2	2
327	45	40-70	II	2	2
328	45	40-70	II	2	2
329	40	<40	III	3b	3b
330	40	<40	III	3b	3b
331	40	<40	III	3b	3b
332	40	<40	III	3b	3b
333	40	<40	III	3b	3b
334	40	<40	III	3b	3b
335	40	<40	III	3b	3b
336	40	<40	III	3b	3b
337	40	<40	III	3b	3b
338	40	<40	III	3b	3b
339	40	<40	III	3b	3b
340	40	<40	III	3b	3b
341	40	<40	III	3b	3b
342	40	<40	III	3b	3b
343	40	<40	III	3b	3b
344	40	<40	III	3b	3b
345	40	<40	III	3b	3b
346	40	<40	III	3b	3b
347	40	<40	III	3b	3b
348	40	<40	III	3b	3b
349	40	<40	III	3b	3b
350	40	<40	III	3b	3b
351	40	<40	III	3b	3b

352	40	<40	III	3b	3b
353	40	<40	III	3b	3b
354	40	<40	III	3b	3b
355	40	<40	III	3b	3b
356	40	<40	III	3b	3b
357	40	<40	III	3b	3b
358	40	<40	III	3b	3b
359			I	3a	3a
360			I	3a	3a
361	40	<40	III	3b	3b
362	40	<40	III	3b	3b
363	40	<40	III	3a	3a
364	40	<40	III	3a	3a
365	40	<40	III	3b	3b
366	40	<40	III	3a	3a
367	40	<40	III	3b	3b
368	40	<40	III	3b	3b
369	40	<40	III	3b	3b
370	40	<40	III	3b	3b
371	40	<40	III	3b	3b
372	40	<40	III	3b	3b
373	40	<40	III	3b	3b
374	40	<40	III	3b	3b
375	40	<40	III	3b	3b
376			I	2	2
377			I	2	2
378	40	<40	III	3b	3b
379	40	<40	III	3b	3b
380	45	40-70	II	2	2
381	40	<40	III	3b	3b
382	40	<40	III	3b	3b
383	40	<40	III	3b	3b
384	40	<40	III	3b	3b
385	40	<40	III	3b	3b
386	40	<40	III	3a	3a
387	40	<40	III	3b	3b
388	40	<40	III	3b	3b
389	40	<40	III	3b	3b
390	40	<40	III	3b	3b
391	40	<40	III	3b	3b
392	40	<40	III	3b	3b
393	40	<40	III	3b	3b
394	40	<40	III	3b	3b
395	40	<40	III	3b	3b
396	40	<40	III	3b	3b
397	40	<40	III	3b	3b
398	40	<40	III	3b	3b
399	45	40-70	II	2	2
400	40	<40	III	3b	3b
401	40	<40	III	3b	3b
402	40	<40	III	3b	3b

403	40	<40	III	3b	3b
404	40	<40	III	3b	3b
405	40	<40	III	3b	3b
406	40	<40	III	3b	3b
407	40	<40	III	3b	3b
408	40	<40	III	3b	3b
409	40	<40	III	3b	3b
410	40	<40	III	3b	3b
411	40	<40	III	3b	3b
412	40	<40	III	3b	3b
413	45	40-70	II	2	2
414	40	<40	III	3b	3b
415	40	<40	III	3b	3b
416	40	<40	III	3b	3b
417	40	<40	III	3b	3b
418	40	<40	III	3b	3b
419	40	<40	III	3b	3b
420	40	<40	III	3b	3b
421	40	<40	III	3b	3b
422	40	<40	III	3b	3b
423	40	<40	III	3b	3b
424	40	<40	III	3b	3b
425	40	<40	III	3b	3b
426	40	<40	III	3b	3b
427	40	<40	III	3b	3b
428	40	<40	III	3b	3b
429	40	<40	III	3b	3b
430	40	<40	III	3b	3b
431	40	<40	III	3b	3b
432	45	40-70	II	2	2
433	40	<40	III	3b	3b
434	40	<40	III	3b	3b
435	40	<40	III	3b	3b
436	40	<40	III	3b	3b
437	40	<40	III	3b	3b
438	40	<40	III	3b	3b
439	40	<40	III	3b	3b
440	40	<40	III	3b	3b
441	40	<40	III	3b	3b
442	40	<40	III	3b	3b
443	40	<40	III	3b	3b
444	40	<40	III	3b	3b
445	40	<40	III	3b	3b
446	40	<40	III	3b	3b
447	40	<40	III	3b	3b
448	40	<40	III	3b	3b
449	40	<40	III	3b	3b
450	45	40-70	II	3b	3b
451	40	<40	III	3b	3b
452	40	<40	III	3b	3b
453	45	40-70	II	3b	3b

454	40	<40	III	3b	3b
455	40	<40	III	3b	3b
456	40	<40	III	3b	3b
457	40	<40	III	3b	3b
458	40	<40	III	3b	3b
459	40	<40	III	3b	3b
460	40	<40	III	3b	3b
461	40	<40	III	3b	3b
462	40	<40	III	3b	3b
463	40	<40	III	3b	3b
464	40	<40	III	3b	3b
465	40	<40	III	3b	3b
466	40	<40	III	3b	3b
467	45	40-70	II	3b	3b
468	45	40-70	II	3b	3b
469	40	<40	III	3b	3b
470	40	<40	III	3b	3b
471	40	<40	III	3b	3b
472	40	<40	III	3b	3b
473	40	<40	III	3b	3b
474	40	<40	III	3b	3b

**Appendix 4c -Wetness and Droughtiness Assessment - Cottam 1c**

Sample No	Wetness Assesment			Wetness Class	Grade	Droughtiness Assessment		Grade	ALC Grade
	Depth to SPL	Gley	Reddish		According to Wetness	MB Wheat	MB Potato	According to Droughtiness	
475	40	40	N	III	3b				3b
476	40	40	N	III	3b				3b
477	40	40	N	III	3b				3b
478	40	40	N	III	3b				3b
479	50	50	N	II	3b				3b
480	50	50	N	II	3b				3b
481	40	40	N	III	3b				3b
482	40	40	N	III	3b				3b
483	40	40	N	III	3b				3b
484	40	40	N	III	3b				3b
485	40	40	N	III	3b				3b
486	40	40	N	III	3b				3b
487	40	40	N	III	3b				3b
488	50	50	N	II	3b				3b
489	50	50	N	II	3b				3b
490	40	40	N	III	3b				3b
491	40	40	N	III	3b				3b
492	40	40	N	III	3b				3b
493	40	40	N	III	3b				3b
494	40	40	N	III	3b				3b
495	40	40	N	III	3b				3b
496	40	40	N	III	3b				3b
497	40	40	N	III	3b				3b
498	40	40	N	III	3b				3b
499	40	40	N	III	3b				3b
500	35	35	N	III	3b				3b
501	35	35	N	III	3b				3b
502	35	35	N	III	3b				3b
503	40	40	N	III	3b				3b
504	40	40	N	III	3b				3b
505	40	40	N	III	3b				3b
506	40	40	N	III	3b				3b
507	40	40	N	III	3b				3b
508	40	40	N	III	3b				3b
509	35	30	N	III	3b				3b
510	35	30	N	III	3b				3b
511	40	40	N	III	3b				3b
512	35	35	N	III	3b				3b
513	35	35	N	III	3b				3b
514	35	35	N	III	3b				3b
515	35	35	N	III	3b				3b
516	35	35	N	III	3b				3b
517	35	35	N	III	3b				3b
518	50	50	N	II	3b				3b
519	40	40	N	III	3b				3b
520	40	40	N	III	3b				3b
521	40	40	N	III	3b				3b
522	40	40	N	III	3b				3b
523	40	40	N	III	3b				3b
524	40	40	N	III	3b				3b
525	40	40	N	III	3b				3b
526	40	40	N	III	3b				3b



527	35	35	N	III	3b	3b
528	35	35	N	III	3b	3b
529	35	35	N	III	3b	3b
530	35	35	N	III	3b	3b
531	35	35	N	III	3b	3b
532	35	35	N	III	3b	3b
533	50	50	N	II	3b	3b
534	40	40	N	III	3b	3b
535	40	40	N	III	3b	3b
536	40	40	N	III	3b	3b
537	40	40	N	III	3b	3b
538	40	40	N	III	3b	3b
539	40	40	N	III	3b	3b
540	35	30	N	III	3b	3b
541	40	40	N	III	3b	3b
542	35	35	N	III	3b	3b
543	35	35	N	III	3b	3b
544	35	35	N	III	3b	3b
545	35	35	N	III	3b	3b
546	35	35	N	III	3b	3b
547	35	35	N	III	3b	3b
548	40	40	N	III	3b	3b
549	40	40	N	III	3b	3b
550	40	40	N	III	3b	3b
551	40	40	N	III	3b	3b
552	40	40	N	III	3b	3b
553	40	40	N	III	3b	3b
554	40	40	N	III	3b	3b
555	40	40	N	III	3b	3b
556	40	40	N	III	3b	3b
557	35	35	N	III	3b	3b
558	35	35	N	III	3b	3b
559	35	35	N	III	3b	3b
560	35	35	N	III	3b	3b
561	35	35	N	III	3b	3b
562	35	35	N	III	3b	3b
563	35	35	N	III	3b	3b
564	40	40	N	III	3b	3b
565	40	40	N	III	3b	3b
566	40	40	N	III	3b	3b
567	40	40	N	III	3b	3b
568	40	40	N	III	3b	3b
569	40	40	N	III	3b	3b
570	40	40	N	III	3b	3b
571	35	35	Y	III	3b	3b
572	35	35	N	III	3b	3b
573	35	35	N	III	3b	3b
574	35	35	N	III	3b	3b
575	35	35	N	III	3b	3b
576	35	35	N	III	3b	3b
577	40	40	N	III	3b	3b
578	35	30	N	III	3b	3b
579	35	30	N	III	3b	3b
580						
581	35	35	Y	III	3b	3b
582	35	35	Y	III	3b	3b

583	35	35	N	III	3b	3b
584	35	35	N	III	3b	3b
585	35	35	N	III	3b	3b
586	35	35	N	III	3b	3b
587	40	40	N	III	3b	3b
588	35	30	N	III	3b	3b
589	35	30	N	III	3b	3b
590	35	35	Y	III	3b	3b
591	35	35	Y	III	3b	3b
592	35	35	N	III	3b	3b
593	35	30	N	III	3b	3b
594	35	30	N	III	3b	3b
595	35	30	N	III	3b	3b
596	35	30	N	III	3b	3b
597	35	30	N	III	3b	3b
598	35	30	N	III	3b	3b
599	35	30	N	III	3b	3b
600	35	30	N	III	3b	3b
601	35	30	N	III	3b	3b
602	35	30	N	III	3b	3b
603	35	30	N	III	3b	3b
604	35	30	N	III	3b	3b
605	35	30	N	III	3b	3b
606	35	30	N	III	3b	3b
607	35	30	N	III	3b	3b
608	35	30	N	III	3b	3b
609	35	30	N	III	3b	3b
610	35	30	N	III	3b	3b
611	35	30	N	III	3b	3b
612	35	30	N	III	3b	3b
613	35	30	N	III	3b	3b
614	35	30	N	III	3b	3b
615	35	30	N	III	3b	3b
616	35	30	N	III	3b	3b
617	35	30	N	III	3b	3b
618	35	35	N	III	3b	3b
619	35	35	N	III	3b	3b
620	35	35	N	III	3b	3b
621	35	30	N	III	3b	3b
622	35	30	N	III	3b	3b
623	35	30	N	III	3b	3b
624	35	30	N	III	3b	3b
625	35	30	N	III	3b	3b
626	35	30	N	III	3b	3b
627	35	30	N	III	3b	3b
628	35	30	N	III	3b	3b
629	35	30	N	III	3b	3b
630	35	35	N	III	3b	3b
631	35	35	N	III	3b	3b
632	35	35	N	III	3b	3b
633	35	35	N	III	3b	3b
634	35	35	N	III	3b	3b
635	35	35	N	III	3b	3b
636	35	35	N	III	3b	3b
637	35	30	N	III	3b	3b
638	35	30	N	III	3b	3b

639	35	30	N	III	3b	3b
640	35	30	N	III	3b	3b
641	35	30	N	III	3b	3b
642	35	30	N	III	3b	3b
643	35	30	N	III	3b	3b
644	35	35	N	III	3b	3b
645	35	35	N	III	3b	3b
646	35	35	N	III	3b	3b
647	35	35	N	III	3b	3b
648	35	35	N	III	3b	3b
649	35	35	N	III	3b	3b
650	40	40	N	III	3b	3b
651	40	40	N	III	3b	3b
652	35	35	N	III	3b	3b
653	35	35	N	III	3b	3b
654	35	35	N	III	3b	3b
655	35	35	N	III	3b	3b
656	35	35	N	III	3b	3b
657	35	35	N	III	3b	3b
658	35	35	N	III	3b	3b
659	35	30	N	III	3b	3b
660	35	30	N	III	3b	3b
661	35	30	N	III	3b	3b
662	35	30	N	III	3b	3b
663	35	30	N	III	3b	3b
664	35	30	N	III	3b	3b
665	35	30	N	III	3b	3b
666	35	35	N	III	3b	3b
667	40	40	N	III	3b	3b
668	35	30	N	III	3b	3b
669	35	30	N	III	3b	3b
670	35	35	N	III	3b	3b
671	35	35	N	III	3b	3b
672	40	40	N	III	3b	3b
673	40	40	N	III	3b	3b
674	35	35	N	III	3b	3b
675	35	35	N	III	3b	3b
676	35	35	N	III	3b	3b
677	35	35	N	III	3b	3b
678	35	35	N	III	3b	3b
679	35	35	N	III	3b	3b
680	35	35	N	III	3b	3b
681	35	35	N	III	3b	3b
682	35	35	N	III	3b	3b
683	35	35	N	III	3b	3b
684	35	35	N	III	3b	3b
685	35	35	N	III	3b	3b
686	35	30	N	III	3b	3b
687	35	30	N	III	3b	3b
688	35	30	N	III	3b	3b
689	35	30	N	III	3b	3b
690	35	30	N	III	3b	3b
691	35	30	N	III	3b	3b
692	50	30	N	III	3b	3b
693	50	30	N	III	3b	3b
694	35	35	N	III	3b	3b

695	35	35	N	III	3b	3b
696	40	40	N	III	3b	3b
697	35	30	N	III	3b	3b
698	40	40	N	III	3b	3b
699	40	40	N	III	3b	3b
700	40	40	N	III	3b	3b
701	35	35	N	III	3b	3b
702	35	35	N	III	3b	3b
703	35	35	N	III	3b	3b
704	35	35	N	III	3b	3b
705	35	35	N	III	3b	3b
706	35	35	N	III	3b	3b
707	35	35	N	III	3b	3b
708	35	35	N	III	3b	3b
709	35	35	N	III	3b	3b
710	35	35	N	III	3b	3b
711	35	35	N	III	3b	3b
712	35	35	N	III	3b	3b
713	35	30	N	III	3b	3b
714	35	30	N	III	3b	3b
715	35	30	N	III	3b	3b
716	35	30	N	III	3b	3b
717	35	30	N	III	3b	3b
718	35	30	N	III	3b	3b
719	35	30	N	III	3b	3b
720	35	30	N	III	3b	3b
721	40	40	N	III	3b	3b
722	40	40	N	III	3b	3b
723	40	40	N	III	3b	3b
724	40	40	N	III	3b	3b
725	35	30	N	III	3b	3b
726	35	30	N	III	3b	3b
727	40	40	N	III	3b	3b
728	40	40	N	III	3b	3b
729	40	40	N	III	3b	3b
730	35	35	N	III	3b	3b
731	35	35	N	III	3b	3b
732	35	35	N	III	3b	3b
733	35	35	N	III	3b	3b
734	35	35	N	III	3b	3b
735	35	35	N	III	3b	3b
736	35	35	N	III	3b	3b
737	35	35	N	III	3b	3b
738	35	35	N	III	3b	3b
739	35	35	N	III	3b	3b
740	35	35	N	III	3b	3b
741	35	35	N	III	3b	3b
742	35	35	N	III	3b	3b
743	35	35	N	III	3b	3b
744	35	30	N	III	3b	3b
745	35	30	N	III	3b	3b
746	35	30	N	III	3b	3b
747	35	30	N	III	3b	3b
748	35	30	N	III	3b	3b
749	35	30	N	III	3b	3b
750	35	30	N	III	3b	3b

751	35	30	N	III	3b	3b
752	35	30	N	III	3b	3b
753	35	30	N	III	3b	3b
754	35	30	N	III	3b	3b
755	35	30	N	III	3b	3b
756	40	40	N	III	3b	3b
757	40	40	N	III	3b	3b
758	50	30	N	III	3b	3b
759	35	35	N	III	3b	3b
760	35	35	N	III	3b	3b
761	35	35	N	III	3b	3b
762	35	35	N	III	3b	3b
763	35	35	N	III	3b	3b
764	35	35	N	III	3b	3b
765	35	35	N	III	3b	3b
766	35	35	N	III	3b	3b
767	35	35	N	III	3b	3b
768	35	35	N	III	3b	3b
769	35	35	N	III	3b	3b
770	35	35	N	III	3b	3b
771	35	35	N	III	3b	3b
772	35	35	N	III	3b	3b
773	35	35	N	III	3b	3b
774	35	35	N	III	3b	3b
775	35	30	N	III	3b	3b
776	35	30	N	III	3b	3b
777	35	30	N	III	3b	3b
778	35	30	N	III	3b	3b
779	35	30	N	III	3b	3b
780	35	30	N	III	3b	3b
781	35	30	N	III	3b	3b
782	35	30	N	III	3b	3b
783	35	30	N	III	3b	3b
784	35	30	N	III	3b	3b
785	35	30	N	III	3b	3b
786	35	35	N	III	3b	3b
787	35	35	N	III	3b	3b
788	35	35	N	III	3b	3b
789	35	35	N	III	3b	3b
790	35	35	N	III	3b	3b
791	35	35	N	III	3b	3b
792	35	35	N	III	3b	3b
793	35	35	N	III	3b	3b
794	35	35	N	III	3b	3b
795	35	35	N	III	3b	3b
796	35	35	N	III	3b	3b
797	35	35	N	III	3b	3b
798	35	35	N	III	3b	3b
799	35	35	N	III	3b	3b
800	35	35	N	III	3b	3b
801	35	35	N	III	3b	3b
802	35	35	N	III	3b	3b
803	35	35	N	III	3b	3b
804	35	35	N	III	3b	3b
805	35	35	N	III	3b	3b
806	35	35	N	III	3b	3b

807	35	35	N	III	3b					3b
808	35	30	N	III	3b					3b
809	35	30	N	III	3b					3b
810	35	30	N	III	3b					3b
811	35	30	N	III	3b					3b
812	35	30	N	III	3b					3b
813	35	30	N	III	3b					3b
814			N	I	1	-9.96	-20.26		3a	3a
815	35	35	N	III	3b					3b
816	35	35	N	III	3b					3b
817	35	35	N	III	3b					3b
818	35	35	N	III	3b					3b
819	35	35	N	III	3b					3b
820	35	35	N	III	3b					3b
821	35	35	N	III	3b					3b
822	35	35	N	III	3b					3b
823	35	35	N	III	3b					3b
824	35	35	N	III	3b					3b
825	35	35	N	III	3b					3b
826	35	35	N	III	3b					3b
827	35	35	N	III	3b					3b
828	35	35	N	III	3b					3b
829	35	35	N	III	3b					3b
830	35	35	N	III	3b					3b
831	35	35	N	III	3b					3b
832	35	35	N	III	3b					3b
833	35	35	N	III	3b					3b
834	35	35	N	III	3b					3b
835	35	35	N	III	3b					3b
836	35	30	N	III	3b					3b
837	35	30	N	III	3b					3b
838	35	30	N	III	3b					3b
839	35	30	N	III	3b					3b
840	35	30	N	III	3b					3b
841	35	35	N	III	3b					3b
842	35	35	N	III	3b					3b
843	35	35	N	III	3b					3b
844	35	35	N	III	3b					3b
845	35	35	N	III	3b					3b
846	35	35	N	III	3b					3b
847	35	35	N	III	3b					3b
848	35	35	N	III	3b					3b
849	35	35	N	III	3b					3b
850	35	35	N	III	3b					3b
851	35	35	N	III	3b					3b
852	35	35	N	III	3b					3b
853	35	35	N	III	3b					3b
854	35	35	N	III	3b					3b
855	35	30	N	III	3b					3b
856	35	30	N	III	3b					3b
857	35	30	N	III	3b					3b
858	35	35	N	III	3b					3b
859	35	35	N	III	3b					3b
860	35	35	N	III	3b					3b
861	35	35	N	III	3b					3b
862	35	35	N	III	3b					3b

863	35	35	N	III	3b	3b
864	35	35	N	III	3b	3b
865	35	35	N	III	3b	3b
866	35	35	N	III	3b	3b
867	35	35	N	III	3b	3b
868	35	35	N	III	3b	3b
869	35	35	N	III	3b	3b
870	35	35	N	III	3b	3b
871	35	35	N	III	3b	3b
872	35	35	N	III	3b	3b
873	35	35	N	III	3b	3b
874	35	35	N	III	3b	3b
875	35	35	N	III	3b	3b
876	35	35	N	III	3b	3b
877	35	35	N	III	3b	3b
878	35	35	N	III	3b	3b
879	35	35	N	III	3b	3b
880	35	35	N	III	3b	3b
881	35	35	N	III	3b	3b
882	35	35	N	III	3b	3b
883	35	35	N	III	3b	3b
884	35	35	N	III	3b	3b
885	35	35	N	III	3b	3b
886	35	35	N	III	3b	3b
887	35	35	N	III	3b	3b
888	35	35	N	III	3b	3b
889	35	35	N	III	3b	3b
890	35	35	N	III	3b	3b
891	35	35	N	III	3b	3b
892	35	35	N	III	3b	3b
893	35	35	N	III	3b	3b
894	35	35	N	III	3b	3b
895	35	35	N	III	3b	3b
896	35	35	N	III	3b	3b
897	35	35	N	III	3b	3b
898	35	35	N	III	3b	3b
899	35	35	N	III	3b	3b
900	35	35	N	III	3b	3b
901	35	35	N	III	3b	3b
902	35	35	N	III	3b	3b
903	35	35	N	III	3b	3b
904	35	35	N	III	3b	3b
905	35	35	N	III	3b	3b
906	35	35	N	III	3b	3b
907	35	35	N	III	3b	3b
908	40	40	N	III	3a	3a
909	40	40	N	III	3a	3a
910	35	35	N	III	3b	3b
911	35	35	N	III	3b	3b
912	40	40	Y	III	3a	3a
913	40	40	Y	III	3a	3a
914	40	40	Y	III	3a	3a

**Appendix 4d - Wetness and Droughtiness Assessment - Cottam 2**

Sample No	Wetness Assessment			Wetness Class	Grade According to Wetness	Droughtiness Assessment		Grade According to Droughtiness	ALC Grade
	Depth to SPL	Gley	Reddish			MB Wheat	MB Potato		
915	40	40	N	III	3b				3b
916	40	40	N	III	3b				3b
917	40	40	N	III	3b				3b
918	40	40	N	III	3b				3b
919	40	40	N	III	3a				3a
920	40	40	N	III	3a				3a
921	40	40	N	III	3b				3b
922	40	40	N	III	3b				3b
923	40	40	N	III	3b				3b
924	40	40	N	III	3a				3a
925	40	40	N	III	3a				3a
926	40	40	N	III	3b				3b
927	40	40	N	III	3b				3b
928	40	40	N	III	3b				3b
929	40	40	N	III	3a				3a
930	40	40	N	III	3a				3a
931	40	40	N	III	3a				3a
932	40	40	N	III	3b				3b
933	40	40	N	III	3b				3b
934	40	40	N	III	3b				3b
935	40	40	N	III	3b				3b
936	40	40	N	III	3b				3b
937	40	40	N	III	3a				3a
938	40	40	N	III	3a				3a
939	40	40	N	III	3b				3b
940	40	40	N	III	3a				3a
941	40	40	N	III	3b				3b
942			N	I	2	-38.17	-28.19	3b	3b
943	40	40	N	III	3b				3b
944	40	40	N	III	3b				3b
945	40	40	N	III	3a				3a
946	40	40	N	III	3a				3a
947	40	40	N	III	3b				3b
948	40	40	N	III	3b				3b
949	40	40	N	III	3b				3b
950	40	40	N	III	3b				3b
951	40	40	N	III	3b				3b
952	40	40	N	III	3b				3b
953	40	40	N	III	3b				3b
954	40	40	N	III	3b				3b
955	40	40	N	III	3a				3a
956	40	40	N	III	3a				3a
957	40	40	N	III	3b				3b
958	40	40	N	III	3b				3b
959	40	40	N	III	3b				3b
960	40	40	N	III	3b				3b
961	40	40	N	III	3b				3b
962	40	40	N	III	3b				3b
963	40	40	N	III	3b				3b
964	40	40	N	III	3b				3b
965	40	40	N	III	3b				3b
966	40	40	N	III	3a				3a
967	40	40	N	III	3a				3a
968	40	40	N	III	3b				3b
969	40	40	N	III	3b				3b



970	40	40	N	III	3b	3b
971	40	40	N	III	3b	3b
972	40	40	N	III	3b	3b
973	40	40	N	III	3b	3b
974	40	40	N	III	3b	3b
975	40	40	N	III	3b	3b
976	40	40	N	III	3b	3b
977	40	40	N	III	3b	3b
978	40	40	N	III	3a	3a
979	40	40	N	III	3a	3a
980	40	40	N	III	3b	3b
981	40	40	N	III	3b	3b
982	40	40	N	III	3a	3a
983	40	40	N	III	3b	3b
984	40	40	N	III	3b	3b
985	40	40	N	III	3b	3b
986	40	40	N	III	3b	3b
987	40	40	N	III	3b	3b
988	40	40	N	III	3b	3b
989	40	40	N	III	3b	3b
990	40	40	N	III	3b	3b
991	40	40	N	III	3b	3b
992	40	40	N	III	3a	3a
993	40	40	N	III	3b	3b
994	40	40	N	III	3a	3a
995	40	40	N	III	3b	3b
996	40	40	N	III	3b	3b
997	40	40	N	III	3b	3b
998	40	40	N	III	3b	3b
999	40	40	N	III	3b	3b
1000	40	40	N	III	3b	3b
1001	40	40	N	III	3b	3b
1002	40	40	N	III	3b	3b
1003	40	40	N	III	3b	3b
1004	40	40	N	III	3a	3a
1005	40	40	N	III	3b	3b
1006	40	40	N	III	3b	3b
1007	40	40	N	III	3b	3b
1008	40	40	N	III	3b	3b
1009	40	40	N	III	3b	3b
1010	75	75	N	II	3b	3b
1011	40	40	N	III	3b	3b
1012	40	40	N	III	3b	3b
1013	40	40	N	III	3b	3b
1014	40	40	N	III	3b	3b
1015	40	40	N	III	3b	3b
1016	40	40	N	III	3b	3b
1017	40	40	N	III	3b	3b
1018	40	40	N	III	3b	3b
1019	75	75	N	II	3b	3b
1020	40	40	N	III	3b	3b
1021	40	40	N	III	3b	3b
1022	40	40	N	III	3b	3b
1023	40	40	N	III	3b	3b
1024	40	40	N	III	3b	3b
1025	75	75	N	II	3b	3b
1026	40	40	N	III	3b	3b
1027	40	40	N	III	3b	3b
1028	40	40	N	III	3b	3b

1029	40	40	N	III	3b	3b
1030	40	40	N	III	3b	3b
1031	40	40	N	III	3b	3b
1032	40	40	N	III	3b	3b
1033	40	40	N	III	3b	3b
1034	75	75	N	II	3b	3b
1035	40	40	N	III	3b	3b
1036	40	40	N	III	3b	3b
1037	40	40	N	III	3b	3b
1038	40	40	N	III	3b	3b
1039	40	40	N	III	3b	3b
1040	40	40	N	III	3b	3b
1041	40	40	N	III	3b	3b
1042	40	40	N	III	3b	3b
1043	40	40	N	III	3b	3b
1044	40	40	N	III	3a	3a
1045	40	40	N	III	3b	3b
1046	40	40	N	III	3b	3b
1047	40	40	N	III	3b	3b

**Appendix 4e - Wetness and Droughtiness Assessment - Cottam 3**

Sample No	Wetness Assesment			Wetness Class	Grade According to Wetness	Droughtiness Assessment		Grade According to Droughtiness	ALC Grade
	Depth to SPL	Gley	Reddish			MB Wheat	MB Potato		
1048	35	30		III	3a				3a
1049	35	30		III	3a				3a
1050	35	30		III	3b				3b
1051	35	30		III	3b				3b
1052	35	30		III	3b				3b
1053	35	30		III	3b				3b
1054	35	30		III	3b				3b
1055	35	30		III	3b				3b
1056	35	30		III	3b				3b
1057	35	30		III	3b				3b
1058	35	30		III	3b				3b
1059	35	30		III	3b				3b
1060	35	30		III	3b				3b
1061	35	30		III	3b				3b
1062	35	30		III	3b				3b
1063	35	30		III	3b				3b
1064	35	30		III	3b				3b
1065	35	30		III	3b				3b
1066	35	30		III	3b				3b
1067	35	30		III	3b				3b
1068	35	30		III	3b				3b
1069	35	30		III	3b				3b
1070	35	30		III	3b				3b
1071	35	30		III	3b				3b
1072	35	30		III	3b				3b
1073	35	35		III	3b				3b
1074	35	30		III	3b				3b
1075	35	30		III	3b				3b
1076	35	30		III	3b				3b
1077	35	30		III	3b				3b
1078	35	30		III	3b				3b
1079	35	30		III	3a				3a
1080	35	30		III	3a				3a
1081	35	30		III	3a				3a
1082	35	30		III	3a				3a
1083	35	30		III	3b				3b
1084	40	40		III	3b				3b
1085	40	40		III	3b				3b
1086	40	40		III	3b				3b
1087	40	40		III	3b				3b
1088	40	40		III	3b				3b
1089	35	30		III	3a				3a
1090	35	30		III	3a				3a
1091	35	30		III	3b				3b
1092	35	30		III	3b				3b
1093	40	40		III	3b				3b
1094	40	40		III	3b				3b
1095	40	40		III	3b				3b
1096	35	30		III	3b				3b
1097	35	30		III	3b				3b
1098	35	30		III	3b				3b
1099	80		Y	II	3a				3a
1100	35	30		III	3b				3b
1101	35	30		III	3b				3b


1102	35	30		III	3b					3b
1103	35	30		III	3b					3b
1104	35	30		III	3b					3b
1105	35	30		III	3b					3b
1106	35	30		III	3b					3b
1107	35	30		III	3b					3b
1108				I	1	-20.92	-32.3		3b	3b
1109	40	40		III	2	13.08	25.7		2	2
1110	40	40		III	3b					3b
1111	40	40		III	3b					3b
1112	35	30		III	3b					3b
1113	35	30		III	3b					3b
1114	35	30		III	3b					3b
1115	40	40		III	3b					3b
1116	35	30		III	3b					3b
1117	35	30		III	3b					3b
1118	35	30		III	3b					3b
1119	35	30		III	3b					3b
1120	35	30		III	3b					3b
1121	35	30		III	3b					3b
1122	35	30		III	3b					3b
1123	35	30		III	3b					3b
1124	35	30		III	3b					3b
1125	35	30		III	3b					3b
1126				I	1	-20.92	-32.3		3b	3b
1127				I	1	-20.92	-32.3		3b	3b
1128	40	40		III	3b					3b
1129	35	30		III	3b					3b
1130	35	30		III	3b					3b
1131	35	30		III	3b					3b
1132	35	30		III	3b					3b
1133	35	30		III	3b					3b
1134	40	40		III	3b					3b
1135	35	30		III	3b					3b
1136	35	30		III	3b					3b
1137	35	30		III	3b					3b
1138	40	40		III	3b					3b
1139	40	40		III	3b					3b
1140	35	30		III	3b					3b
1141	35	30		III	3b					3b
1142	35	30		III	3b					3b
1143	35	30		III	3b					3b
1144	35	30		III	3b					3b
1145	35	30	Y	III	3b					3b
1146	35	30	Y	III	3b					3b
1147	40	40		III	3b					3b
1148	35	40	Y	III	3a					3a
1149	35	40	Y	III	3a					3a
1150	35	30		III	3b					3b
1151	35	30		III	3b					3b
1152	40	40		III	3b					3b
1153	35	30		III	3b					3b
1154	35	30		III	3b					3b
1155	40	40		III	3b					3b
1156	40	40		III	3b					3b
1157	35	30		III	3b					3b
1158	35	30		III	3b					3b
1159	40	40		III	3b					3b

1160	40	40		III	3b	3b
1161	35	30		III	3b	3b
1162	35	30		III	3b	3b
1163	35	30		III	3b	3b
1164	35	30		III	3b	3b
1165	35	30	Y	III	3b	3b
1166	40	40		III	3b	3b
1167	35	30		III	3b	3b
1168	35	30		III	3b	3b
1169	40	40		III	3b	3b
1170	35	30		III	3b	3b
1171	35	30		III	3b	3b
1172	35	30		III	3b	3b
1173	35	30		III	3b	3b
1174	80		Y	II	3a	3a
1175	80		Y	II	3a	3a
1176	35	30		III	3b	3b
1177	35	30		III	3b	3b
1178	35	30		III	3b	3b
1179	35	30		III	3b	3b
1180	35	30		III	3b	3b
1181	40	40		III	3b	3b
1182	40	40		III	3b	3b
1183	40	40		III	3b	3b
1184	35	30		III	3b	3b
1185	35	30		III	3b	3b
1186	35	30		III	3b	3b
1187	35	30		III	3b	3b
1188	35	30		III	3b	3b
1189	35	30		III	3b	3b
1190	35	30		III	3b	3b
1191	35	50		III	3b	3b
1192	35	30		III	3b	3b
1193	40	40		III	3b	3b
1194	40	40		III	3b	3b
1195	35	30		III	3b	3b
1196	35	30		III	3b	3b
1197	35	30		III	3b	3b
1198	35	30		III	3b	3b
1199	35	30		III	3b	3b
1200	35	30		III	3b	3b
1201	35	30		III	3b	3b
1202	35	30		III	3b	3b
1203	35	30		III	3b	3b
1204	35	30		III	3b	3b
1205	35	30		III	3b	3b
1206	40	40		III	3b	3b
1207	40	40		III	3b	3b
1208	40	40		III	3b	3b
1209	35	30		III	3b	3b
1210	35	30		III	3b	3b
1211	35	30		III	3b	3b
1212	35	30		III	3b	3b
1213	35	30		III	3b	3b
1214	35	30		III	3b	3b
1215	35	30		III	3b	3b
1216	35	30		III	3b	3b
1217	35	30		III	3b	3b


1218	35	30	III	3b	3b
1219	35	30	III	3b	3b
1220	40	40	III	3b	3b
1221	40	40	III	3b	3b
1222	35	30	III	3b	3b
1223	35	30	III	3b	3b
1224	35	30	III	3b	3b

## APPENDIX 5 - DESCRIPTION OF ALC GRADES




- Grade 1 - excellent quality agricultural land Land with no or very minor limitations to agricultural use. A very wide range of agricultural and horticultural crops can be grown and commonly includes top fruit, soft fruit, salad crops and winter harvested vegetables. Yields are high and less variable than on land of lower quality.
- Grade 2 - very good quality agricultural land Land with minor limitations which affect crop yield, cultivations or harvesting. A wide range of agricultural and horticultural crops can usually be grown but on some land in the grade there may be reduced flexibility due to difficulties with the production of the more demanding crops such as winter harvested vegetables and arable root crops. The level of yield is generally high but may be lower or more variable than Grade 1.
- Grade 3 - good to moderate quality agricultural land Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.
- Subgrade 3a - good quality agricultural land Land capable of consistently producing moderate to high yields of a narrow range of arable crops, especially cereals, or moderate yields of a wide range of crops including cereals, grass, oilseed rape, potatoes, sugar beet and the less demanding horticultural crops.
- Subgrade 3b - moderate quality agricultural land Land capable of producing moderate yields of a narrow range of crops, principally cereals and grass or lower yields of a wider range of crops or high yields of grass which can be grazed or harvested over most of the year.
- Grade 4 - poor quality agricultural land Land with severe limitations which significantly restrict the range of crops and/or level of yields. It is mainly suited to grass with occasional arable crops (e.g. cereals and forage crops) the yields of which are variable. In moist climates, yields of grass may be moderate to high but there may be difficulties in utilisation. The grade also includes very droughty arable land.
- Grade 5 - very poor-quality agricultural land Land with very severe limitations which restrict use to permanent pasture or rough grazing, except for occasional pioneer forage crops.








### Appendix 6b - Cottam 1b

- Grade 2 
- Grade 3a 
- Grade 3b 






Appendix 6 - Cottam 1c

Grade 3a



Grade 3b



Ordnance Survey © Crown Copyright 2022. All Rights Reserved. Licence number 100022432




# Appendix 6d - Cottam 2


Grade 3a



Grade 3b



Ordnance Survey © Crown Copyright 2022. All Rights Reserved. Licence number 100022432 - A631



**AGRICULTURAL QUALITY  
OF LAND NEAR BLYTON  
LINCOLNSHIRE**

Report 1883/1

19<sup>th</sup> September, 2021

**Land**  
**Research**  
**ASSOCIATES**

**AGRICULTURAL QUALITY  
OF LAND NEAR BLYTON, LINCOLNSHIRE.**

F.W Heaven BSc, MISoilSci

Report 1883/1  
Land Research Associates Ltd  
Lockington Hall,  
Lockington,  
Derby  
DE74 2RH

19<sup>th</sup> September, 2021

**SUMMARY**

A survey of 72.3 ha of land near Blyton in Lincolnshire has shown that the soils are heavy-textured and slowly permeable, developed in clay and chalky till.

The majority of the land is of sub-grade 3b agricultural quality, limited by wetness.

## 1.0 Introduction

---

- 1.1 This report provides information on the agricultural quality of 72.3 ha of land to the south-east of Blyton, near Gainsborough in Lincolnshire. The report is based on a survey of the land in September 2021.

### **SITE ENVIRONMENT**

- 1.2 The land investigated comprises six fields running southward from the Gainsborough to Barnetby railway. The eastern boundary is marked in large part by Bonsall Lane, and the other extents by field hedges and drains. The land is mainly level, with an elevation of approximately 20 m AOD.

### **AGRICULTURAL USE**

- 1.3 Five of the fields were in arable use at the time of the survey: either in stubble after cereals and field beans, or newly cultivated. The sixth field was in ley grassland.

### **PUBLISHED INFORMATION**

- 1.4 The 1:50,000 BGS geological information shows the geology as Scunthorpe Mudstone Formation, overlain by glacial till.
- 1.5 The National Soil Map<sup>1</sup> shows the land as Beccles 1 Association, comprising mainly slowly permeable fine loamy over clayey soils (Beccles series) with similar clayey soils (Ragdale series)

<sup>1</sup> Hodge, C.A.H. *et al* (1984). *Soils and their use in Eastern England*. Soil Survey Bulletin No 13.



## 2.0 Soils

---

2.1. A detailed soil resource and agricultural quality survey was carried out in September 2021. It was based on observations at intersects of a 100 m grid, giving a sampling density of one observation per hectare. During the survey soils were examined by a combination of pits and augerings to a maximum depth of 1.2 m. A log of the sampling points and a map (Map 1) showing their location is in an appendix to this report.

2.2. The survey showed that the soils of the site are slowly permeable and developed in heavy clay till. The most prevalent type has heavy clay loam or clay topsoil, 30 to 35 cm deep and dark greyish brown in colour. The subsoil, as is typical of soils developed in chalky till, is more variable, but the upper part is usually heavily mottled slowly permeable clay and greyish brown in colour with many ochreous mottles. In many cases the lower subsoil is clay with abundant chalk stones and often more open-structured than the horizon above as the result of the high calcium carbonate concentration.

2.1 An example profile from close to observation 67 (Map 1) is described below.

0-33 cm	Dark brown (10YR 4/3) clay; 3% small and medium subangular flint and rounded quartzite stones, weakly developed coarse subangular blocky structure; firm; common medium and fine pores and earthworm channels; common very fine fibrous roots; sharp smooth boundary to:
33-48 cm	Greyish brown (10YR 5/2) clay with many grey (10YR 5/1) and strong brown (7.5YR 5/8) mottles; ; 3% small and medium subangular flint and rounded quartzite stones; weakly developed coarse prismatic structure breaking to coarse angular blocky structure; firm; 0.2% fine pores; common very fine fibrous roots; merging to:
48-80+ cm	Grey (10YR 5/1) and greyish brown (10YR 5/2) calcareous clay with many yellowish brown (10YR 5/8) mottles; 5% small rounded chalk stones and small subangular flint stones; moderately developed medium prismatic structure, friable; common fissures, no visible pores; a few fine fibrous roots.

2.3. In some areas the chalky subsoil is closer to the surface and the topsoil may be calcareous. Elsewhere, and particularly in the north, the till is reddish grey (5YR 5/2) in colour and ochreous mottled and contains no chalk stones. Locally are soils where the upper subsoils are browner and less mottled than elsewhere. Sandy lenses occur sporadically in the subsoils.

2.4. In small areas in the west of the site the topsoil and upper subsoil are sandy clay loam, (Beccles series), as in an example profile from close to observation

28 (Map 1) is described below.

0-28 cm	Dark brown (10YR 3/3) sandy clay loam; 1% small and medium subangular flint and rounded quartzite stones, moderately developed medium and coarse subangular blocky structure; friable; common medium pores; common very fine fibrous roots; clear smooth boundary to:
28-40 cm	Brown (10YR 5/3) sandy clay loam many strong brown (7.5YR 5/6) mottles; 1% small and medium subangular flint and rounded quartzite stones; moderately developed medium subangular blocky structure; friable; common fine pores; a few very fine fibrous roots; merging to:
48-80+ cm	Reddish brown (5YR 5/3) calcareous clay with many grey (N 6/0) and reddish brown (5YR 5/8) mottles; 3% small rounded chalk fragments and rounded quartzite stones; moderately developed coarse angular blocky structure, firm; 0.2% fine pores; common very fine fibrous roots on ped faces.

2.5. The subsoil of all the soils is slowly permeable causing winter waterlogging (Soil Wetness Class II and III).

### 3.0 Agricultural Quality

---

2.6. To assist in assessing land quality, the Ministry of Agriculture, Fisheries and Food (MAFF) developed a method for classifying agricultural land by grade according to the extent to which physical or chemical characteristics impose long-term limitations on agricultural use for food production. The MAFF Agricultural Land Classification (ALC) system classifies land into five grades numbered 1 to 5, with grade 3 divided into two sub-grades (3a and 3b). The system was devised and introduced in the 1960s and revised in 1988.

2.7. The agricultural climate is an important factor in assessing the agricultural quality of land and has been calculated using the Climatological Data for Agricultural Land Classification<sup>2</sup>. The relevant site data for an average elevation of 20 m is given below.

- Average annual rainfall: 622 mm
- January-June accumulated temperature >0°C 1399 day°
- Field capacity period (when the soils are fully replete with water) 130 days  
late Nov–early Apr
- Summer moisture deficits for: wheat: 110 mm  
potatoes: 102 mm

2.8. The survey described in the previous section was used in conjunction with the agroclimatic data above to classify the site using the revised guidelines for agricultural land classification issued in 1988 by the Ministry of Agriculture, Fisheries and Food<sup>3</sup>.

#### **SURVEY RESULTS**

2.9. The agricultural quality of the survey area is determined by the degree of soil wetness and the effect of this on the workability of the soils. The land is of Grade 3 agricultural quality.

<sup>2</sup> *Climatological Data for Agricultural Land Classification*. Meteorological Office, 1989

<sup>3</sup> *Agricultural Land Classification for England and Wales: Guidelines and Criteria for Grading the Quality of Agricultural Land*. MAFF, 1988.

**Sub-grade 3a**

- 3.1 There is a small area of sub-grade 3a land in the east of the site where the soils have sandy clay loam topsoils, improving their workability over the surrounding heavier soils described below. In practice this area is not sufficiently large to be treated as a separate management unit.

**Sub-grade 3b**

- 3.2 The land over most of the site has heavy topsoils over slowly permeable clay subsoils resulting in seasonal wetness and limiting the cultivation of the soils in late autumn and spring.

**Grade areas**

- 3.3 The boundaries between the different grades of land are shown on Map 2 and the areas occupied by each are shown below.

**Table 1. Areas occupied by the different land grades**

<i>Grade/sub-grade</i>	<i>Area (ha)</i>	<i>% of agricultural land</i>
<b>Sub-grade 3a</b>	2.7	4
<b>Sub-grade 3b</b>	69.6	96
<b>Total</b>	72.3	100

**APPENDIX**  
**MAPS AND DETAILS OF OBSERVATIONS**

Land near Blyton: ALC survey September 2021 - Details of observations at each sampling point

Obs No	Topsoil			Upper subsoil			Lower subsoil			Slope (°)	Wetness Class	Agricultural quality	
	Depth (cm)	Texture	Stones (%)	Depth (cm)	Texture	Mottling	Depth (cm)	Texture	Mottling			Grade	Main limitation
1	0-33	C	2	33-55	C	xxx	55-100+	C+chk stones	xxx	0	III	3b	W
2	0-30	HCL	3	30-45	C	xxx	45-100+	C+chk stones	xxx	0	III	3b	W
3	0-30	C	2	30-40	C	xxx	40-50 50+	C+chk stones stop on stones	xxx	0	III	3b	W
4	0-40	HCL	3	40-90	C	xxx	90-110	C+chk stones	xxx	0	II/III	3a/3b	W
5	0-30	HCL	3	30-45	HCL-C	xxx	45-80 80-110	C C+chk stones	xxx xxx	0	III	3b	W
6	0-32	HCL	2	32-65	C	xxx	65-100	C+chk stones	xxx	0	III	3b	W
7	0-30	C	1	30-65	C	xxx	65-90+	C+chk stones	xxx	0	III	3b	W
8	0-28	C	2	28-60	C	xxx	60-90+	C+chk stones	xxx	0	III	3b	W
9	0-32	C	2	32-80+	C+chk stones	xxx				0	III	3b	W
10	0-30	HCL	2	30-80+	C+chk stones	xxx				0	III	3b	W
11	0-30	ca HCL	2	30-45	ca C	xxx	45-100+	C+chk stones	xxx	0	III	3a	W
12	0-33	HCL	3	33-45	C	xx	45-55 55-80+	C C+chk stones	xxx	0	II/III	3a/3b	W
13	0-33	HCL	2	33-45	C	xx(x)	45-70 70-110	C C+chk stones	xxx	0	III	3b	W
14	0-32	HCL-C	1	32-55 55-75	C gr C	xxxx xxx	75-100 100-120	rb C C+chk stones	xxx xxx	0	III	3b	W
15	0-36	C	3	36-110	rb C	xxx				0	III	3b	W
16	0-35	C	1	35-50	C	xx	50-110	C	xxx	0	II	3b	W
17	0-35	C	2	35-60	C	xxx	60-100+	C+chk stones	xxx	0	III	3b	W
18	0-35	HCL	1	35-65	C	xxx	65-100+	C+chk stones	xxx	0	III	3b	W
19	0-35	HCL	2	35-75	HCL	xx	75-95 95-120	SCL C+chk stones	xxx	0	II	3a	W
20	0-30	HCL	3	30-40	HCL	xxx	40-80+	C+chk stones	xxx	0	III	3b	W
21	0-34	HCL	3	34-60	HCL-C	xxx	60-80 80-100+	C rb C+chks	xxx	0	III	3b	W
22	0-36	HCL	2	36-45	HCL	x	45-60 60-100+	rb C C+chk stones	xxx	0	II/III	3a/3b	W
23	0-32	HCL	2	32-44	C	x	44-65 65-70 70+	C C+chk stones stop on stones	xxx xxx	0 0	III III	3b 3b	W W
24	0-34	C	1	34-60	C	xxxx	60-40+	C+chk stones	xxx	0	III	3b	W
25	0-30	C	1	30-110	C	xxx				0	III	3b	W
26	0-34	HCL	2	34-42	HCL	xxx	42-110	C	xxx	1	III	3b	W
27	0-30	HCL	3	30-75	rb C	xxx	75-85 85-110	MS ca rb C	o xxx	<1	III	3b	W

Obs No	Topsoil			Upper subsoil			Lower subsoil			Slope (°)	Wetness Class	Agricultural quality	
	Depth (cm)	Texture	Stones (%)	Depth (cm)	Texture	Mottling	Depth (cm)	Texture	Mottling			Grade	Main limitation
28	0-30	SCL	2	30-41	SCL	xx	41-70 70-80 80+	C+chk stones rb C stop on stones	xxx xxx	0	III	3a	b
29	0-28	C	1	28-110	rb C	xxx				0	III	3b	W
30	0-30	C	1	30-80	C	xxx	80-110	C+chk stones	xxx	0	III	3b	W
31	0-33	HCL	1	33-45	C	xx	45-85 85-110	SCL-MSL C+chk stones	xx xxx	0	II/III	3a/3b	W
32	0-30	HCL	1	30-38	ca HCL	xxx	38-80+	C+chk stones	xxx	0	III	3b	W
33	0-30	C-HCL	2	30-110	rb C+chks	xxx				0	III	3b	W
34	0-30	HCL	2	30-50	rb C +chks	xxx	50+	stop on stones		0	III	3b	W
35	0-30	C	1	30-80	gr C	xxx	80-110	C+chk stones	xxx	0	III	3b	W
36	0-30	C	2	30-100+	rb G	xxx				0	III	3b	W
37	0-30	C	2	30-100+	rb C	xxx				0	III	3b	W
38	0-34	C	1	34-100	rb C	xxx				0	III	3b	W
39	0-30	HCL-C	1	30-100	rb C	xxx				0	III	3b	W
40	0-30	HCL	1	30-110	C	xxx				0	III	3b	W
41	0-30	HCL	1	30-48	C	xxx	48-55 55-100+	SCL C+chk stones	xx xxx	0	III	3b	W
42	0-30	SCL	2	30-35	br SCL	o	35-40 40-100	HCL C+chk stones	x	0	III	3a	W
43	0-35	C	1	35-60	C	xxx	60-80 80-100+	SCL C+chk stones	o-x xxx	0	III	3b	W
44	0-31	C	1	31-42	C	xx	42-80+	C+chk stones	xxx	0	II	3b	W
45	0-30	HCL	1	30-45	C	xxx	45-100+	C+chk stones	xxx	0	III	3b	W
46	0-25	HCL	1	25-38	C	xx	38-80+	C+chk stones	xxx	0	III	3b	W
47	0-30	HCL	3	30-50	C	xxx	50-80+	C+chk stones	xxx	0	III	3b	W
48	0-31	C	2	31-45	C	xxx	45-100	C+chk stones	xxx	0	III	3b	W
49	0-32	C	1	32-50	C	xx	50-80 80-110	MSL rb C+chks	o	0	II	3b	W
50	0-31	C	1	31-100	rb C	xxx				0	III	3b	W
51	0-33	C	1	33-70	C	xxx	70-110	rb C	ZZZ	0	III	3b	W
52	0-28	C	1	28-40	C	xxx	40-80+	C+chk stones	xxx	0	III	3b	W
53	0-30	C	1	30-50	C	xxx	50-60 60+	rb C+chks stop on stones	xxx	0	III	3b	W
54	0-35	SCL	2	35-46	SCL	xx	46-110	C+chk stones	xxx	0	II	2	W
55	0-40	HCL	1	40-65	HCL	xxx	65-90 90-420	MS C+chk stones	o xxx	0	III	3b	W
56	0-30	C	2	30-50	C	xxx	50-65 65-110	SCL C+chk stones	xxx xxx	0	III	3b	W
57	0-26	C	2	26-35	C	xxx	35-60 60-110	SCL C+chk stones	xxx xxx	0	III	3b	W

Obs No	Topsoil			Upper subsoil			Lower subsoil			Slope (°)	Wetness Class	Agricultural quality	
	Depth (cm)	Texture	Stones (%)	Depth (cm)	Texture	Mottling	Depth (cm)	Texture	Mottling			Grade	Main limitation
58	0-35	C	2	35-50	C	xxx	50+	stop on stones		0	III	3b	W
59	0-30	C	1	30-60	C	xx(x)	60-70 70-100+	rb C C+chk stones	xxx xxx	0	II/III	3a/3b	W
60	0-33	C	2	33-60	C	xx	60-70 70-100	C C+chk stones	xxx xxx	0	II	3b	W
61	0-30	C	1	30-70	C	xxx	70-110	gr C	xxxx	0	III	3b	W
62	0-30 30-50	C C compact	1 1	50-70	C	xxx	70-110	rb C+chks	xxx	0	III	3b	W (dist)
63	0-35	C	2	35-100	C	xxx				0	III	3b	W
64	0-35	C	1	35-110	rb C	xxx				0	III	3b	W
65	0-32	C	1	32-110	C	xxx				0	III	3b	W
66	0-35	HCL	2	35-50	HCL	xxx	50-100+	C	xxx	0	II/III	3a/3b	W
67	0-30	C	1	30-50	C	xxx	50-70 70+	C+chk stones stop on stones	xxx	0	III	3b	W
68	0-30	HCL	2	30-40	ca C	xxx	40-80+	C+chk stones	xxx	0	III	3b	W
69	0-32	C	1	32-40	C	xxx	40-80+	C+chk stones	xxx	0	III	3b	W
70	0-28	C	2	28-50	C	xxx	50-80	C+chk stones	xxx	0	III	3b	W
71	0-30	ca C	1	30-80+	C+chk stones	xxx				0	III	3a	W
72	0-33	C	1	33-50	C	xxx	50-110	ca C	xxx	0	III	3b	W
73	0-30	C	1	30-100	br C	xxx	00-110	C+chk stones	xxx	0	III	3b	W
74	0-33	HCL	1	33-45	C	xxx	45-70 70-120	rb C C+chk stones	xxx xxx	0	III	3b	W
75	0-35	C	2	35-45	C	xx	45-55 55-100	rb C rb C+chks	xxx xxx	0	II	3b	W
76	0-30	C	1	30-65	gr C	xxx	65-85 85-110	rb C rb C+chks	xxx	0	III	3b	W



## Key to table

### Mottle intensity:

o	unmottled
x	1-2% ochreous mottles and brownish matrix (or a few to common rusty root mottles (topsoils) <sup>3</sup> )
xx	>2% ochreous mottles and brownish matrix and/or dull structure faces (slightly gleyed horizon)
xxx	>2% ochreous mottles and greyish or pale matrix or reddish matrix and >2% greyish, brownish or ochreous mottles or fmn concentrations (gleyed horizon)
xxxx	dominantly bluish matrix , often with some ochreous mottles (gleyed horizon)

### Slowly permeable layers<sup>4</sup>

A depth underlined (e.g. 50) indicates the top of a slowly permeable layer  
A wavy underline (eg 50) indicates the top of a layer bordering to  
extremely)

*slowly permeable*

### Texture:

C	- clay
ZC	- silty clay
SC	- sandy clay
CL	- clay loam (H-heavy, M-medium)
ZCL	- silty clay loam (H-heavy, M-medium)
SCL	- sandy clay loam
SZL	- sandy silt loam (F-fine, M-medium, C-coarse)
SL	- sandy loam (F-fine, M-medium, C-coarse)
LS	- loamy sand (F-fine, M-medium, C-coarse)
S	- sand (F-fine, M-medium, C-coarse)
P	- peat (H-humified, SF-semi-fibrous, F-fibrous)
LP	- loamy peat; PL - peaty loam

### Wetness Class<sup>5</sup>

I (freely drained) to VI (very poorly drained)

### Limitations:

W	- wetness/workability
D	- droughtiness
De	- depth
St	- stoniness
Sl	- slope
F	- flooding
T	- topography/microrelief

### Suffixes & prefixes

r-reddish, gn greenish, br brownish, gr-grey  
o-organic,  
(m, v, x)st (very slightly, slightly, extremely) stony  
chky-chalky  
<sup>7</sup>(vsl, sl, m, v,x)(very slightly,slightly,moderately, very,

ca – calcareous

### Other abbreviations

fmn –ferri-manganiferous concentrations  
dist - disturbed soil layer;  
R – bedrock (chky – Chalk, SST – Sandstone,  
PLST – Limestone, MST – Mudstone)

<sup>1</sup>Gley indicators in accordance with Hodgson, J.M. (1997) Soil survey Field Handbook (third edition) Soil Survey Technical Monograph No 5

<sup>2</sup>Texture in accordance with particle size classes in Hodgson (1997)


<sup>3</sup>Occasionally recorded in the texture box

<sup>4</sup>Permeability is estimated for auger borings and confirmed by full pit observations in accordance with the definitions in Hodgson (1997)

<sup>5</sup>Soil Wetness Classes are defined in Hodgson (1997)

<sup>6</sup>Stoniness classes as defined in Hodgson (1997)

<sup>7</sup>Calcareous classes as defined in Hodgson (1997)



Client



Project

**Land near Blyton  
Lincolnshire**

Map

**Map 1  
Location of the observations**

**KEY**


- Auger location
- ▼ Soil description pit
- Survey area

Scale  
1:6,000 at A4

Date  
18/09/2021



Lockington Hall  
Lockington  
Derby DE74 2RH  
Tel: 01509 670470



Client






Project

**Land near Blyton  
Lincolnshire**

Map

**Map 2  
Agricultural Land Classification**

**KEY**

-  Sub-grade 3a
-  Sub-grade 3b
-  Survey area

Scale  
1:6,000 at A4

Date  
18/09/2021



Lockington Hall  
Lockington  
Derby DE74 2RH  
Tel: 01509 670470